

Bosch Professional Power Tools for Trade and Industry

Product Range 2017 / 2018

For professionals from professionals



BOSCH

Invented for life

Rotary Drill

GBM 6 RE
Professional
SRP
P 2,569



Specifications

Power Input	: 350 W
In Steel	: 6.5 mm
In Aluminum	: 6 mm
In Wood	: 15 mm
No-Load Speed	: 0-4,000 rpm
Weight	: 1.1 kg
Standard Spare Parts	
2610391290 Carbon Brush - P 274	

GBM 10
Professional
SRP
P 3,120



Specifications

Power Input	: 450 W
In Steel	: 10 mm
In Aluminum	: 10 mm
In Wood	: 25 mm
No-Load Speed	: 0-2,600 rpm
Weight	: 1.3 kg
Standard Spare Parts	
2610391290 Carbon Brush - P 274	

GBM 10 RE
Professional
SRP
P 3,500



Specifications

Power Input	: 450 W
In Steel	: 10 mm
In Aluminum	: 10 mm
In Wood	: 25 mm
No-Load Speed	: 0-2,600 rpm
Weight	: 1.3 kg
Standard Spare Parts	
2610391290 Carbon Brush - P 274	

GBM 13 RE
Professional
SRP
P 4,630



Specifications

Power Input	: 600 W
In Steel	: 13 mm
In Aluminum	: 13 mm
In Wood	: 30 mm
No-Load Speed	: 0-2,600 rpm
Weight	: 1.7 kg
Standard Spare Parts	
2610391290 Carbon Brush - P 274	

Rotary Drill

GBM 1600 RE
Professional
SRP
P 6,700



Specifications

Power Input	: 850 W
No-Load Speed	: 0-630 rpm
Chuck Capacity	: 1-16 mm
Max Torque	: 11 Nm

GSB 10
Professional
SRP
P 3,300



Specifications

Power Input	: 500 W
In Concrete	: 10 mm
In Steel	: 8 mm
In Wood	: 20 mm
No-Load Speed	: 0-2,600 rpm
Weight	: 1.5 kg
Standard Spare Parts	
2610391290 Carbon Brush - P 274	

GSB 10 RE
Professional
SRP
P 4,650



Specifications

Power Input	: 500 W
In Concrete	: 10 mm
In Steel	: 8 mm
In Wood	: 20 mm
No-Load Speed	: 0-2,600 rpm
Weight	: 1.5 kg
Standard Spare Parts	
2610391290 Carbon Brush - P 274	

GSB 13 RE (Wrap)
Professional
SRP
P 5,100



Specifications

Power Input	: 650 W
Impact Rate	: 0-52,800
In Concrete	: 13 mm
In Steel	: 10 mm
In Wood	: 20 mm
No-Load Speed	: 0-3,300 rpm
Weight	: 1.8 kg

Impact Drill

GSB 13 RE (Hand Tool)
Professional
SRP
P 5,400



Specifications

Power Input	: 650 W
Impact Rate	: 0-52,800
In Concrete	: 13 mm
In Steel	: 10 mm
In Wood	: 20 mm
No-Load Speed	: 0-3,300 rpm
Weight	: 1.8 kg

GSB 16 RE (Carton)
Professional
SRP
P 5,300



Specifications

Power Input	: 750 W
Impact Rate	: 0-54,400
In Concrete	: 16 mm
In Steel	: 12 mm
In Wood	: 25 mm
No-Load Speed	: 0-3,400 rpm
Chuck Type	: 1.5-13mm
Weight	: 1.9 kg

GSB 16 RE (Wrap)
Professional
SRP
P 5,730



Specifications

Power Input	: 750 W
Impact Rate	: 0-54,400
In Concrete	: 16 mm
In Steel	: 12 mm
In Wood	: 25 mm
No-Load Speed	: 0-3,400 rpm
Chuck Type	: 1.5-13mm
Weight	: 1.9 kg

GSB 20-2 RE
Professional
SRP
P 9,330



Specifications

Power Input	: 800 W
In Concrete	: 20 / 13 mm
In Steel	: 13 / 8 mm
In Wood	: 40 / 25 mm
No-Load Speed	: 0-3,000 rpm
Weight	: 2.1 kg
Standard Spare Parts	
1619P01777 Carbon Brush - P 377	

Corded Screwdriver

GSR6-45
Professional
SRP
P 11,380



Specifications

Power Input	: 701 W
Self-Tapping Screws	: up to 6mm dia.
No-Load Speed	: 0-4,500 rpm
Weight	: 1.4 kg
Standard Spare Parts	
2604321943 Carbon Brush - P 380	

Cordless Screwdriver

IXO III 3.6 V
Professional
SRP
P 2,640



Specifications

Max. Screw Dia.	: 5 mm
No-Load Speed	: 180 rpm
Max. Torque	: 4 Nm
Battery Voltage	: 3.6 V
Chucks	: Magnetic bit holder w/ hexagonal shank
Weight	: 0.3 kg

GSR Bit Drive
Professional
SRP
P 3,500



Specifications

Voltage	: 3.6 V
Capacity	: 1.5 Ah
Max. Torque	: 4.5 Nm
Idle Speed	: 210 rpm
Max. Screw Dia.	: 5 mm
Charging Time	: 4 hrs
Weight	: 0.5 kg

GSR 1000
Professional
SRP
P 4,500



Specifications

No Load Speed	: 0-7000 rpm
Chuck clamping range	: 6 mm
Max. Torque	: 4.5 Nm
Battery Voltage	: 10.8 V
Torque Max (hard)	: 6.0 Nm
Torque Max (Soft)	: 15.0 Nm
Toolholder	: Three-Jaw Chuck

SDS Plus Hammer

GBH 2-20 RE
Professional
SRP
P 6,500



Specifications

Power Input	: 600 W
In Concrete	: 20 mm
Load Speed	: 0-1,400 rpm
Impact Rate	: 0-4,400 bpm
Impact Energy	: 1.7 J
Weight	: 2.2 kg

GBH 2-20 DRE
Professional
SRP
P 10,215



Specifications

Power Input	: 600 W
In Concrete	: 20 mm
Load Speed	: 0-1,400 rpm
Impact Rate	: 0-4,400 bpm
Impact Energy	: 1.7 J
Weight	: 2.2 kg

GBH 2-23 REA
Professional
SRP
P 17,500



Specifications

Power Input	: 710 W
Suction Power	: 450 min
Dust Container Life Cycle	: 100 cycles
In Concrete with Dust	
Extraction	: 16 mm
Max. Drilling Depth	: 100 mm

GBH 2-24 RE
Professional
SRP
P 13,000



Specifications

Power Input	: 790 W
Impact Energy	: 2.7 J
Impact Rate	: 0-4,200 bpm
Rated Speed	: 0-930 rpm
Weight	: 2.8 kg
Length	: 367 mm

SDS Plus Hammer

GBH 2-26 DRE

Professional

SRP
P 16,720

HEAVY DUTY



Specifications

Power Input	: 800w
In Concrete	: 4-26mm
In Steel	: 13 mm
In Wood	: 30 mm
No-Load Speed	: 0-900 rpm
Impact Rate	: 0-4,400 bpm
Weight	: 2.7kg
Standard Spare Parts	
1617000525 Carbon Brush - P	
311	

GBH 2-28 DFV

Professional

SRP
P 18,930

HEAVY DUTY



Specifications

Power Input	: 820w
In Concrete	: 28 mm
In Steel	: 30 mm
In Wood	: 68 mm
In Masonry (core cutting)	: 13 mm
Load Speed	: 0-1,300 rpm
Impact Rate	: 0-5,100 bpm
Impact Energy	: 3.2 J
Chiselling with vario lock	: Yes
Weight	: 3.1 kg
Standard Spare Parts	
1617000525 Carbon Brush - P 311	

GBH 3-28 DRE

Professional

SRP
P 22,600

HEAVY DUTY



Specifications

Power Input	: 800w
Max. Bit Dia.	: 28 mm
Max. Core Bit Dia.	: 80 mm
No-Load Speed	: 0-900 rpm
Impact Rate	: 0-4,000 bpm
Impact Force	: 0-3.5 J
Weight	: 3.5 kg
Standard Spare Parts	
1617000525 Carbon Brush - P 311	

GBH 4-32 DFR

Professional

SRP
P 29,000

HEAVY DUTY



Specifications

Power Input	: 900w
In Concrete	: 6-32 mm
In Steel	: 13 mm
In Wood	: 12 mm
No-Load Speed	: 0-760 bpm
Impact Rate	: 0-3,600 bpm
Weight	: 4.7 kg
Standard Spare Parts	
1614321079 Carbon Brush - P 592	

SDS Max Hammer

GBH 5-40 D

Professional

SRP
P 37,500

HEAVY DUTY



Specifications

Power Input	: 1,150 W
Max. Impact Energy	: 8.8 J
Impact Rate	: 1,500-3,050 bpm
Rated Speed	: 170-340 rpm
Max. Bit Dia.	: 12-40 mm
Max. Core Bit Dia.	: 40-90 mm
Weight	: 6.8 kg

GBH 8-45 D

Professional

SRP
P 60,340

HEAVY DUTY



Specifications

Power Input	: 1,500 W
Max. Impact Energy	: 12.5 J
Impact Rate	: 1,380-2,760 bpm
Rated Speed	: 0-305rpm
Max. Chisel Length	: 600 mm
Weight	: 8.5 kg

GBH 8-45 DV

Professional

SRP
P 63,520

HEAVY DUTY



Specifications

Power Input	: 1,500 W
Max. Impact Energy	: 12.5 J
Impact Rate	: 1,380-2,760 bpm
Rated Speed	: 0-305 rpm
Max. Bit Dia.	: 12-45 mm
Max. Core Bit Dia.	:
Weight	: 8.9 kg

Demolition Hammer

GSH 3 E

Professional

SRP
P 23,530

HEAVY DUTY



Specifications

Power Input	: 650 W
Impact Rate	: 0-3,500 bpm
Impact Force	: 4.3 J
Weight	: 3.5 kg
Standard Spare Parts	
1617014137 Carbon Brush - P 560	

Demolition Hammer

GSH 5

Professional

SRP
P 20,640

HEAVY DUTY



Specifications

Power Input	: 1,100 W
Impact Rate	: 2,850 bpm
Impact Energy	: 12 J
Tool Holder	: SDS Max
Weight	: 5.6 kg
Standard Spare Parts	
1617014138 Carbon Brush - P 639	

GSH 11 E

Professional

SRP
P 38,130

HEAVY DUTY



Specifications

Power Input	: 1,500 W
Impact Rate	: 900-1,890 bpm
Impact Force	: 6-25 J
Weight	: 10.1 kg
Standard Spare Parts	
1617014126 Carbon Brush - P 459	

Breaker

GSH 16-30

Professional

SRP
P 69,100

HEAVY DUTY



Specifications

Power Input	: 1,750 W
Impact Rate	: 1,300 bpm
Impact Force	: 45 J
Weight	: 16.5 kg
Standard Spare Parts	
1617014126 Carbon Brush - P 459	
1617014143 Carbon Brush - P 1,001	

GSH 27 VC

Professional

SRP
P 117,650

HEAVY DUTY



Specifications

Power Input	: 2,000 W
Impact Energy	: 69 J
Impact Rate	: 1,000 bpm
Toolholder	: 28 mm internal hexagon
Weight	: 29.5 kg
Standard Spare Parts	
1617000425 Carbon Brush - P 897	

Straight Grinder

GGs 3000 L

Professional

SRP
P 7,280



Specifications

Power Input	: 300 W
Collect	: 6 mm
No-Load Speed	: 28,000 rpm
Weight	: 1.8 kg
Standard Spare Parts	
1607031223 Carbon Brush - P 196	

GGs 5000

Professional

SRP
P 10,000



Specifications

Power Input	: 500 W
Collect	: 8 mm
No-Load Speed	: 33,000 rpm
Weight	: 1.0 kg
Standard Spare Parts	
1607031223 Carbon Brush - P 196	

Small Angle Grinder

GWS 6-100 S

Professional

SRP
P 3,350



Specifications

Power Input	: 710 W
No-Load Speed	: 11,000 rpm
Grinding spindle thread	: M10
Disc Diameter	: 100 mm
Weight w/o Cable	: 1.6 kg

GWS 750-100

Professional

SRP
P 4,150



Specifications

Power Input	: 750 W
No-Load Speed	: 11,000 rpm
Disc Diameter	: 100 mm
Weight w/o Cable	: 1.8 kg
Length	: 270 mm
Width	: 73 mm
Height	: 100 mm

Small Angle Grinder

GWS 7-100 T

Professional

SRP
P 4,300



Specifications

Power Input	: 720 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wife Core Brush Dia	: 70 mm

GWS 900-100

Professional

SRP
P 4,950



Specifications

Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wife Core Brush Dia	: 70 mm

GWS 900-100 S

Professional

SRP
P 5,720



Specifications

Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wife Core Brush Dia	: 70 mm

GWS 8-100Z

Professional

SRP
P 5,340



Specifications

Power Input	: 720 W
No-Load Speed	: 11,000 rpm
Grinding / Cutting	
Disc Diameter	: 100 mm

Small Angle Grinder

GWS 13-125 CI

Professional
SRP
P 9,400



Specifications

Power Input	: 1,300 W
No-Load Speed	: 11,500 rpm
Grinding Spindle	
Thread	: M14
Disc Diameter	: 125 mm
Rubber Backing Pad	
Diameter	: 125 mm
Wire Cup Brush Dia.	: 75 mm
Weight	: 2.3 kg

Large Angle Grinder

GWS 20-180

Professional
SRP
P 8,260



Specifications

Power Input	: 2,000 W
Grinding / Cutting	
Disc Diameter	: 180 mm
Wire Cup Brush Dia.	: 100 mm
No-Load Speed	: 8,500 rpm
Weight	: 5.0 kg
Standard Spare Parts	
1607014171 Carbon Brush	- P 291

GWS 20-230

Professional
SRP
P 9,700



Specifications

Power Input	: 2,000 W
Grinding / Cutting	
Disc Diameter	: 230 mm
Wire Cup Brush Dia.	: 100 mm
No-Load Speed	: 6,500 rpm
Weight	: 5.8 kg
Standard Spare Parts	
1607014171 Carbon Brush	- P 291

Polisher

GPO 12 CE

Professional
SRP
P 14,150



Specifications

Power Input	: 1,250 W
No-Load Speed	: 750-3,000 rpm
Disc Capacity	: up to 180 mm
Weight	: 2.5 kg
Standard Spare Parts	
9618086921 Carbon Brush	- P 444

Vertical Polisher

GPO 950

Professional
SRP
P 7,710



Specifications

Power Input	: 950 W
No-Load Speed	: 600-2100 rpm
Disc Capacity	: up to 180 mm
Weight	: 2.3 kg
Standard Spare Parts	
9618086921 Carbon Brush	- P 444

Cutt-off Saw

GCO 14-24J

Professional
SRP
P 15,270



Specifications

Power Input	: 2,400 W
Saw Blade Diameter	: 355 mm
No-Load Speed	: 3,800 rpm
Saw Blade Bore	: 25.4 mm
Weight	: 18.1 kg

*Extension Bar sold separately

Compound Mitre Saw

GCM 10 MX

Professional
SRP
P 18,740



Specifications

Power Input	: 1,700 W
Cutting Capacity 0°	: 89 mm
Cutting capacity 45°	: 67 mm
No-Load Speed	: 4,800 rpm
Saw Blade Diameter	: 255 mm
Saw Blade bore	: 25.4 mm
Weight w/o cable	: 14.1 kg

Sliding Mitre Saw

GCM 10 S

Professional
SRP
P 32,400



Specifications

Cutting Capacity	
0°	: 87x305 mm
45° Mitre	: 87x216 mm
45° Incline	: 53x305 mm
Mitre Setting	: 52° L / 62° R
Incline Setting	: 47° L
No-Load Speed	: 4,700 rpm
Saw Blade Diameter	: 254 mm
Saw Blade Bore	: 30 mm
Weight	: 21.5 kg

Jigsaw

GST 65

Professional
SRP
P 4,850



Specifications

Power Input	: 400 W
In Wood	: 65 mm
In Aluminum	: 12 mm
In Steel	: 3 mm
No-Load Stroke Rate	: 3,100 spm
Weight	: 1.7 kg
Standard Spare Parts	
2604321904 Carbon Brush	- P 285

GST 65 E

Professional
SRP
P 5,100



Specifications

Power Input	: 400 W
In Wood	: 65 mm
In Aluminum	: 12 mm
In Steel	: 3 mm
No-Load Stroke Rate	: 500-3,100 spm
Weight	: 1.7 kg
Standard Spare Parts	
2604321904 Carbon Brush	- P 285

GST 8000 E

Professional
SRP
P 11,820



Specifications

Power Input	: 710 W
Cutting Depth	
In Wood	: 80 mm
In Aluminum	: 20 mm
In Steel	: 10 mm
Stroke Length	: 20 mm
Weight	: 2.5 kg
Standard Spare Parts	
1619X07509 Carbon Brush	- P 245

GST 80 PB

Professional
SRP
P 12,410



Specifications

Power Input	: 580 W
In Wood	: 85 mm
In Aluminum	: 20 mm
In Steel	: 10 mm
No-Load Stroke Rate	: 3,100 spm
Weight	: 2.4 kg
Standard Spare Parts	
2604320912 Carbon Brush	- P 290

Jigsaw

GST 80 PBE

Professional
SRP
P 12,860



Specifications

Power Input	: 580 W
In Wood	: 85 mm
In Aluminum	: 20 mm
In Steel	: 10 mm
No-Load Stroke Rate	: 500-3,100 spm
Weight	: 2.4 kg
Standard Spare Parts	
2604320912 Carbon Brush	- P 290

Circular Saw

GKS 7000

Professional
SRP
P 6,480



Specifications

Power Input	: 1,100 W
No-Load Speed	: 5,200 rpm
Cutting Depth	
90°/45°	: 67 / 49 mm
Saw Blade Range	: 184-190 mm
(7 in range)	
Weight	: 3.6 kg
Standard Spare Parts	
1619810063 Carbon Brush	- P 183.75

GKS 190

Professional
SRP
P 8,300



Specifications

Power Input	: 1,400 W
Blade Diameter	: 184 mm
Cutting Capacity	
at 90°	: 68 mm
at 45°	: 48 mm
No-Load Speed	: 5,500 rpm
Weight	: 4.1 kg
Standard Spare Parts	
1619P01317 Carbon Brush	- P 322
1619P06346 Carbon Brush	- P 404

GKS 235 Turbo

Professional
SRP
P 11,925



Specifications

Power Input	: 2,050 W
Blade Diameter	: 235 mm
Cutting Capacity	
at 90°	: 85 mm
at 45°	: 65 mm
No-Load Speed	: 5,300 rpm
Weight	: 7.6 kg

Planer

GHO 6500

Professional
SRP
P 5,914



Specifications

Power Input	: 650 W
Adjustable chip thickness	: 0 - 2.6 mm

GHO 10-82

Professional
SRP
P 7,620



Specifications

Power Input	: 710 W
Planing Width	: 82 mm

Sander

GSS 1400

Professional
SRP
P 4,114



Specifications

Power Input	: 180 W
No-load Speed	: 12,000 rpm

GSS 2300

Professional
SRP
P 5,300



Specifications

Power Input	: 190 W
Orbit Rate	: 2400 opm

Sander

GEX 125-1 AE

Professional

SRP
P 6,690

HEAVY
DUTY



Specifications

Power Input	: 250 W
Orbit Rate	: 15,000-24,000 opm
Sanding Plate Dia.	: 125 mm
Weight	: 1.3 kg
Standard Spare Parts	
2609120199 Carbon Brush - P 380	



Trimmer

GMR 1

Professional

SRP
P 8,900



Specifications

Power Input	: 550 W
Tool Holder	: 3-6 mm
No-Load Speed	: 33,000 rpm
Weight	: 1.5 kg
Standard Spare Parts	
2609120149 Carbon Brush - P 259	



Table Saw /Stand

GTS 10 J


Professional

Table Saw
SRP
P 43,200



Specifications

Power Input	: 1,800 W
No-Load Speed	: 3,650 rpm
Saw Blade Size	: 254 mm
Bevel Setting	: 47° L / 2° R
Total Dimension	: 578x706x330 mm
Weight	: 26 kg
Standard Spare Parts	
2610018332 Carbon Brush - P 1,014	



GTA 60 W

Professional

Stand
SRP
P 10,670



Specifications

Method of Portability	: Wheeled
Stand Height Folded	: 622 mm
Stand Height	: 1,150 mm
Wheel Type (dia, inch)	: 8 in pneumatic
Wheel Width	: 750 mm
Levellings Leg	: Yes
Weight	: 24 kg



Sabre Saw

GSA 1100 E

Professional

SRP
P 10,350



Specifications

Power Input	: 1,100 W
No-Load Stroke	: 0-2,700 spm
Weight w/o Cable	: 3.6 kg
Saw, Stroke length	: 28 mm



Bench Grinder

GBG 35-15

Professional

SRP
P 7,714



Specifications

Power Input	: 350
No- Load Stroke	: 3,600
Disc Diameter	: 150mm



GBG 60-20

Professional

SRP
P 12,600



Specifications

Power Input	: 600
No- Load Stroke	: 3,600
Saw, Stroke length	: 250mm



Heat Gun

GHG 600-3

Professional

SRP
P 3,670



Specifications

Power Input	: 1,800 W
Temperature	: 50 / 400 / 600 °C
Air-Flow	: 250 / 350 / 500 l / min
Weight	: 0.8 kg



Heat Gun

GHG 630 DCE

Professional

SRP
P 6,690



Specifications

Power Input	: 2,000 W
Temperature	: 50-630 °C
Air-Flow	: 150 / 500 l/min
Weight	: 0.9 kg



Wet & Dry Vacuum Cleaner

GAS 11-21

Professional

SRP
P 12,400



Specifications

Power Input	: 900 W
Container Volume	: 21 L
Air Flow	: 50 L / sec
Volume	: 150 mbar
House Diameter	: 35 mm
Weight	: 6.3 kg



GAS 15

Professional

SRP
P 10,480



Specifications

Power Input	: 1,100 W
Weight	: 6.0 kg
Container Volume	: 10 L
Length	: 360 mm
Height	: 440 mm



GAS 15 PS

Professional

SRP
P 11,925



Specifications

Power Input	: 1,100 W
Weight	: 6.0 kg
Container Volume	: 10 L
Length	: 360 mm
Height	: 440 mm



Blower

GBL 800 E

Professional

SRP
P 5,140



Specifications

Power Input	: 820 W
No-Load Speed	: 16,000 rpm
Volumetric Flow Rate	: 4.5 m³ / min
Weight	: 1.8 kg
Standard Spare Parts	
1604321129 Carbon Brush - P 322	



Bosch Genuine Spare Parts

With Bosch Genuine Spare parts you get:

- 1 month service guarantee
- 20% discount during Service week
- Free labor during Service week
- 1 month Repair warranty
- Bosch Quality guarantee



Bosch Aquatak

High Pressure Washer

High Pressure Cleaner

Aquatak 33-11

SRP
P 7,720



Specifications

Pressure	: 110 bar
Flow Rate	: 330 l/h
Power	: 1,300 W
Max Temp	: 40 °C
Weight	: 3.8 kg

Aquatak 33-11 CWS

SRP
P 9,285



Specifications

Pressure	: 125 bar
Flow Rate	: 360 l/h
Power	: 1,500 W
Max Temp	: 40 °C
Weight	: 6.8 kg

Universal Aquatak 120


SRP
P 9,675



NEW

Specifications


Pressure	: 120 bar
Flow Rate	: 350 l/h
Power	: 1,500 W
Max Temp	: 40 °C
Weight	: 5.0 kg





1 Battery fits all!

Save cost and time with the Bosch Cordless System



BARE TOOLS, BATTERIES, CHARGERS AND CASES
ARE SOLD SEPARATELY, GIVING YOU THE
FREEDOM TO CHOOSE THE COMBINATION THAT



BOSCH
Invented for life

10.8 and 12 Volt Cordless System

Kit Set

GSR 120-Li
Professional
SRP
P 5,195



Specifications

Max. Torque (hard)	: 30 Nm
Max. Torque (soft)	: 13 Nm
No-Load Speed	: 0-380 / 0-1300 rpm
Battery Voltage	: 12.0 V
Keyless Chuck	: 10 mm
Charging Time	: 90.0 mins
Dimension (L x H)	: 182 x 196 mm
Weight	: 0.99 kg

GSB 120-Li
Professional
SRP
P 5,595



Specifications

Max. Torque (hard)	: 28 Nm
Max. Torque (soft)	: 11 Nm
No-Load Speed	: 0-400/0-1,300 rpm
Battery Voltage	: 12.0 V
Charging Time	: 94 mins
Dimension (L x W)	: 188 x 46 mm
Weight	: 1.1 kg

GDR 120-Li
Professional
SRP
P 5,595



Specifications

Battery Capacity	: 1.5 Ah
No-Load Speed	: 1,300 - 2600 rpm
Charging Time	: 90 mins
Weight Incl. Battery	: 1.05 kg
Max. Torque	: 100 Nm
Rated Impact Rate	: 2800 - 3400 bpm

Bare Tools

GWB 10.8-Li
Professional
SRP
P 14,900



HEAVY DUTY



Specifications

Max. Torque	: 11 Nm
No-Load Speed	: 0 - 1,300 rpm
Position drilling	: 90° to 180°
Battery Voltage	: 10.8 V
Weight	: 1.2 kg
Max. drilling diameter in wood and steel	: 10 mm

Bare Tools

GLI 120-Li
Professional
SRP
P 3,500

NEW



Specifications

Weight Incl. Battery	: 0.3 kg
Height	: 57 mm
Battery Voltage	: 12.0 V
Lighting Equipment	: 1-watt LED

GML 10.8 V-Li
Professional
SRP
P 7,330



HEAVY DUTY



Specifications

Radio Frequency	: AM 531 - 1602 kHz
Radio Frequency	: FM 87.5 - 108 MHz
Output Voltage Batt.	: 10.8 V
Station Presets	: 10.0
Input Voltage Mains	: 12.0 V
Weight Incl. Battery	: 1.4 kg

GAS 12V-Li
Professional
SRP
P 5,000



HEAVY DUTY



Specifications

Weight Incl. Battery	: 0.87 kg
Container Volume	: 0.35 L
Length	: 273 mm
Width	: 77 mm
Height	: 170 mm
Filter Surface	: 408 cm²

GOS 10.8 V-Li
Professional
SRP
P 12,143



HEAVY DUTY



Specifications

Display Size	: 2.7 in
Display Resolution	: 320px x 240px
Length of camera cable	: 22 cm
No. of length Lightning Stages	: 273 mm
Weight	: 0.9 kg
Runtime with one battery charge	: 7-15 h

Bare Tools

D - tect 120
Professional
SRP
P 13,000



Specifications

Maximum scanning depth	
Metal	: 120mm
Plastic Pipe	: 60mm
Accuracy	: +/- 10mm
Distance between adjacent object	: 50mm

GSL 2
Professional
SRP
P 37,000



HEAVY DUTY



Specifications

Working Range	: 20m
Working Range w/o Receiver	: 10m
Height Adjustment Range	: 3cm
Line Visibility	: 10m / 20m
Rotating speed	: Fast 1 rpm Slow 0.3 rpm

GST 12V-Li
Professional
SRP
P 8,610



HEAVY DUTY



Specifications

Battery Voltage	: 12.0 V
In Wood	: 70 mm
In Aluminum	: 3 mm
In Steel	: 3 mm
No-Load Stroke Rate	: 1,500 - 2,800 spm
Weight Incl. Battery	: 1.5 kg

GKS 12V-Li
Professional
SRP
P 8,550



HEAVY DUTY



Specifications

No-Load Speed	: 1,400 rpm
Saw Blade Diameter	: 85 mm
Saw Blade Bore Dia.	: 15 mm
Battery Volt./Capacity	: 12.0 V / 2.0 Ah
Weight Incl. Battery	: 1.4 kg
Cutting Depth (90°/45°)	: 26.5 / 17mm

Bare Tools

GSA 12V-14
Professional
SRP
P 5,700



HEAVY DUTY



Specifications

Stroke Lengths	: 14.5 mm
Battery Voltage	: 12.0 V

Battery

GBA 120 1.5Ah
SRP
P 1,300



HEAVY DUTY



Specifications

Battery Voltage	: 12.0 V
Battery Capacity	: 1.5 Ah

GBA 120 2.0Ah
SRP
P 2,000



HEAVY DUTY



Specifications

Battery Voltage	: 12.0 V
Battery Capacity	: 2.0 Ah

Charger

GAL 1230
SRP
P 2,443



HEAVY DUTY



Specifications

Battery Capacity	: 1.5 Ah
Charge Current	: 3A


Starter Kit

Starter Kit 12V
SRP
P 5,340



Specifications

Battery Voltage	: 12.0 V
Battery Capacity	: 1.5 Ah



Cases

L-Boxx 102
SRP
P 1,800



Specifications

L-Boxx 136
SRP
P 2,100



Specifications

L-Boxx 238
SRP
P 2,500



Specifications

18 Volt Cordless System

Kit Set - with Battery and Charger

GSR 180-Li
Professional
SRP
P 10,160



Specifications

Max. Torque (hard)	: 54 Nm
Max. Torque (soft)	: 21 Nm
No-Load Speed	: 0-450 / 0-1,700 rpm
Battery Voltage	: 18.0 V
Key-less Chuck	: 13 mm
Dimension (L x W)	: 198 x 62 mm
Weight	: 1.6 kg

GSB 180-Li
Professional
SRP
P 11,121



Specifications

Max. Torque (hard)	: 54 Nm
Max. Torque (soft)	: 21 Nm
No-Load Speed	: 0-450 / 0-1,700 rpm
Battery Voltage	: 18.0 V
Key-less Chuck	: 13.0 mm
Dimension (L x W)	: 210 x 62 mm
Weight	: 1.7 kg

GDS 250
Professional
SRP
P 14,800



Specifications

No-load Speed	: 0 - 2,400
Weight Incl. Battery	: 1.85 kg
Max. Torque (hard)	: 250 Nm
Rated Impact Rate	: 0 - 3400 bpm
Dimension (L x H)	: 163 x 245 mm
Battery Voltage	: 18.0 V
Bit Holder	: 1/2" External Square

Bare Tools

GBH 180
Professional
SRP
P 6,900



Specifications

Weight	: 2.6 kg
Impact Force	: 1.7 J
No Load Speed	: 0~1,800 rpm
Impact Rate	: 0~4550 min
Drilling Capacity	: 20mm
LED Light	: Yes
Mode	: 3

Bare Tools

GBH 18 V-EC
Professional
SRP
P 40,000



Specifications

Impact Energy	: 1.7 J with chiseling function
Sound Pressure Level	: 91.0 dB(A)
Battery Voltage	: 18.0 V
Rated Impact Rate	: 0-4,550 bpm

GWS 18V-Li
Professional
SRP
P 10,500



Specifications

No-Load Speed	: 10,000 rpm
Battery Voltage	: 18.0V
Roughing/ Cutting disc	: 115 mm
Rubber Sanding Plate	: 115 mm

GSB 18-2-Li
Professional
SRP
P 7,500



Specifications

Max. Torque (hard)	: 39 Nm
No-Load Speed	: 0-450/1400 rpm
Chuck Clamping Range	: 10 mm
Rated Impact Rate	: 19,500 bpm



Bare Tools

GST 18V-Li
Professional
SRP
P 14,800



Specifications

Stroke height	: 23.0 mm
In Wood	: 90 mm / 270 spm
Slanted cuts	: 0-45

GKS 18V-Li
Professional
SRP
P 14,000



Specifications


No-load Speed	: 3,900 rpm
Saw Blade Diameter	: 165 mm
Saw Blade Bore Diameter	: 18.0
Battery Voltage	

GSA 18V-Li C
Professional
SRP
P 11,200



Specifications

Stroke length	: 28 mm
Battery Voltage	: 18.0 V



Bare Tools

GDS 18V-Li
Professional
SRP
P 29,400



Specifications

Max. Torque (hard)	: 650 Nm/1900 rpm
No-Load Speed	: 0 - 2800 rpm
Impact rate	: 2,100 bpm

GDS 18V-EC 250
Professional
SRP
P 14,150



Specifications

No-load Speed	: 0 - 2,400 rpm
Weight Incl. Battery	: 1.85 kg
Max. Torque (hard)	: 250 Nm
Rated Impact Rate	: 0-3400 bpm
Dimension (L x H)	: 163 x 245 mm
Battery Voltage	: 18.0 V
Bit Holder	: 1/2" External Square

GBL 18V-120
Professional
SRP
P 6,000



Specifications

Battery Voltage	: 18.0 V
No-Load Speed	: 17,000 rpm
Max. Air Speed	: 76 m/s
Max. Airflow	: 120 m³/h
Weight Excl. Battery	: 1.1 kg

GML 18 V-Li
Professional
SRP
P 8,000



Specifications

AM / FM radio	
Auxiliary port	
Slim / Compact for Lboxx storage	

Batteries

GBA 18V 2.0Ah
SRP
P 5,250



Specifications

Battery Voltage	: 18.0 V
Battery Capacity	: 2.0 Ah

GBA 18V 4.0Ah
SRP
P 6,200



Specifications

Battery Voltage	: 18.0 V
Battery Capacity	: 4.0 Ah

GBA 18V 6.0Ah
SRP
P 8,500



Specifications

Battery Voltage	: 18.0 V
Battery Capacity	: 6.0 Ah

Charger

GAL 1860 CV 18V
SRP
P 3,679



Specifications

Input Voltage	: 18.0 V
Charging time	: 45 mins

Starter Kit

Starter Kit 18 V-Li
SRP
P 11,000



Cases

L-Boxx 102
SRP
P 1,800



L-Boxx 136
SRP
P 2,100



L-Boxx 238
SRP
P 2,500



Contractor's Choice Power Tools Range



Cordless Drill Driver

GSR 120-Li Professional

SRP
P 5,195



Specifications

Max. Torque (hard)	: 30 Nm
Max. Torque (soft)	: 13 Nm
No-Load Speed	: 0-380 / 0,1300 rpm
Battery Voltage	: 12.0 V
Keyless Chuck	: 10 mm
Charging Time	: 90.0 mins
Dimension (L x W)	: 182 x 196 mm
Weight	: 0.99 kg

Cordless Impact Drill

GSB 120-Li Professional

SRP
P 5,595



Specifications

Max. Torque (hard)	: 28 Nm
Max. Torque (soft)	: 11 Nm
No-Load Speed	: 0-400/0-1,300 rpm
Battery Voltage	: 12.0 V
Charging Time	: 94 mins
Dimension (L x W)	: 188 x 46 mm
Weight	: 1.1 kg

Cordless Impact Driver

GDR 120-Li Professional

SRP
P 5,595



Specifications

Battery Capacity	: 1.5 Ah
No Load Speed	: 1,300 - 2600 rpm
Charging Time	: 90 mins
Weight Incl. Battery	: 1.05 kg
Max. Torque	: 100 Nm
Rated Impact Rate	: 2800 - 3400 bpm

Drill

GBM 320 Professional

SRP
P 1,995



Specifications

Power Input	: 320 W
No Load Speed	: 0-4,200 rpm
Drilling diameter steel	: 6.5 mm
Drilling diameter wood	: 13 mm
Chuck Capacity	: 6.5 mm
Weight	: 1 kg
Switch	: F/R

GBM 350 Professional

SRP
P 2,095



Specifications

Power Input	: 350 W
No Load Speed	: 0-2,800 rpm
Drilling diameter steel	: 10 mm
Drilling diameter wood	: 20 mm
Chuck Capacity	: 10 mm Keyed
Weight	: 1.2 kg
Switch	: F/R sliding switch

Impact Drill

GSB 550 Professional

SRP
P 2,895



Specifications

Power Input	: 550 W
No Load Speed	: 0-2,800
Impact Rate	: 0 - 41,800 bpm
Drilling Concrete	: 13 mm
Drilling Steel/Wood	: 10/25 mm
Chuck	: 13 mm Keyed
Weight	: 1.8 kg

Grinder

GWS 060 Professional



SRP
P 2,095

Specifications

Power Input	: 670 W
No Load Speed	: 12,000 rpm
Spindle	: M10 / M14
Disc Diameter	: 100 mm
Weight	: 1.6 kg

Marble Cutter

GDM 121 Professional

NEW

SRP
P 3,495



Specifications

Power Input	: 1,250 W
No Load Speed	: 14,500 rpm
Saw Blade Bore Diameter	: 20 mm
Saw Blade Diameter	: 110 mm
Cable Length	: 2.1 m
Cutting Depth (90°)	: 34 mm
Weight	: 2.8 kg

Large Angle Grinder

GWS 2000 Professional



SRP
P 5,995

Specifications

Power Input	: 2000 W
No Load Speed	: 8500 rpm
Power Output	: 1280 W
Grinding Spindle Thread	: M 14
Main Handle	: Straight
Disc Diameter	: 180 mm
Weight	: 5.0kg

Cut-Off Saw

GCO 200 Professional

SRP
P 7,995



Specifications

Demolition Hammer

GSH 500 Professional

SRP
P 11,195



Specifications



Professional Accessories Range Catalogue



BOSCH


Invented for life

BOSCH
ULTI

Product Image (sample)	Product	Part Number	Metric (mm)	English (inch)	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
	HSS-G Bits	2 608 588 231	3.18	1/8	1	5	250	49
		2 608 588 233	3.97	5/32	1	5	250	74
		2 608 588 235	4.76	3/16	1	5	250	78



HSS-G Bits	2 608 588 228	1.98	5/64	1	5	250	44
	2 608 588 229	2.38	3/32	1	5	250	44
	2 608 588 230	2.78	7/64	1	5	250	44
	2 608 588 232	3.57	9/64	1	5	250	51
	2 608 588 239	6.35	1/4	1	5	250	122
	2 608 588 243	7.94	5/16	1	5	200	189
	2 608 588 247	9.53	3/8	1	5	200	300
	2 608 588 255	12.7	1/2	1	5	200	500



New!! Reduce Shank HSS-G Bits	2 608 588 509		9/16	1			844
	2 608 588 510		5/8	1			990
	2 608 588 511		3/4	1			1,332

HSS-G Bits sets	2 608 585 440	3.18	1/8	10	20	200	464
	2 608 585 442	3.97	5/32	10	10	100	703
	2 608 585 444	4.76	3/16	10	10	100	739

HSS-G Bits (sets)	2 608 585 436	1.59	1/16	10	20	200	422
	2 608 585 437	1.98	5/64	10	20	200	422
	2 608 585 438	2.38	3/32	10	20	200	422
	2 608 585 439	2.78	7/64	10	20	200	422
	2 608 585 441	3.57	9/64	10	20	200	486
	2 608 585 448	6.35	1/4	10	10	50	1,161
	2 608 585 452	7.94	5/16	10	5	25	1,794
	2 608 585 456	9.53	3/8	5	5	25	1,425
	2 608 585 464	12.7	1/2	5	5	25	2,375

Product Image (sample)	Product	Part Number	Metric (mm)	English (inch)	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
---------------------------	---------	-------------	-------------	----------------	---------	---------------------	----------------------	------------



HSS-Co (Cobalt) Bits	2 608 588 309	3.18	1/8	1	5	100	78
	2 608 588 311	3.97	5/32	1	5	100	135
	2 608 588 313	4.76	3/16	1	5	100	150
	2 608 588 317	6.35	1/4	1	5	100	211



HSS-Co (Cobalt) Bits	2 608 588 305	1.59	1/16	1	5	100	62
	2 608 588 306	1.98	5/64	1	5	100	62
	2 608 588 307	2.38	3/32	1	5	100	62
	2 608 588 308	2.78	7/64	1	5	100	78
	2 608 588 310	3.57	9/64	1	5	100	135
	2 608 588 321	7.94	5/16	1	3	60	300
	2 608 588 325	9.53	3/8	1	3	60	444



HSS-Co Cobalt Bits (sets)	2 608 585 877	3.2		10	20	200	740
	2 608 585 879	3.5		10	20	200	1,280
	2 608 585 883	4.5		10	10	100	1,380
	2 608 585 890	6.5		10	10	50	2,000



Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
	Masonry Drill Bits - general masonry	2 608 590 066	Dia mm	Working length	Total length	1	5	200	45

Masonry Drill Bits - general masonry	2 608 590 066	3.0	30	60	1	5	200	45
	2 608 590 067	3.5	40	75	1	5	240	45
	2 608 590 068	4.0	40	75	1	5	200	45
	2 608 590 070	4.5	50	85	1	5	190	45
	2 608 590 071	5.0	50	85	1	5	240	46
	2 608 590 072	5.5	50	85	1	0	240	48
	2 608 590 074	6.0	60	100	1	5	150	48
	2 608 590 076	6.5	60	100	1	5	150	55
	2 608 590 078	8.0	80	120	1	5	120	57
	2 608 590 081	10.0	80	120	1	5	120	94
	2 608 590 084	12.0	90	150	1	5	120	108
	2 608 590 087	13.0	90	150	1	0	120	116

Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Box Qty (pcs)	List Price
			Dia mm	Working length	Total length				
	New!! CYL-2 Masonry Drill Bits - general masonry	2 608 578 114	3.0	30	60	1	5	50	40
		2 608 578 115	4.0	40	75	1	5	50	40
		2 608 578 116	5.0	50	85	1	5	50	42
		2 608 578 117	5.5	50	85	1	5	50	46
		2 608 578 118	6.0	60	100	1	5	50	46
		2 608 578 119	6.5	60	100	1	5	50	52
		2 608 578 120	8.0	80	120	1	5	50	63
		2 608 578 159	9.0	80	120	1	5	50	75
		2 608 578 121	10.0	80	120	1	5	50	91
		2 608 578 122	12.0	90	150	1	5	50	133
		2 608 578 123	14.0	90	150	1	5	50	180
		2 608 578 160	16.0	90	150	1	5	50	210
	Masonry Drill Bit Sets	2 608 578 124	Set (6.0 / 8.0 / 10.0)			3pc - SET	5	50	212
		2 608 578 155	Set (4.0 / 5.0 / 6.0 / 8.0 / 10.0)			5pc - SET	5	50	290
		2 608 578 156	Set (3.0 / 4.0 / 5.0 / 6.0 / 7.0 / 8.0 / 9.0 / 10.0)			8pc - SET	5	50	325

Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price	
			Dia mm	Working length	Total length					
	Silver Percussion - for drilling on concrete and granite	2 608 680 700	3.0	40	70	1	5	240	155	
		2 608 680 721	3.5	40	75	1	5	240	155	
		2 608 680 701	4.0	40	75	1	5	240	175	
		2 608 680 728	4.5	40	75	1	5	120	175	
		2 608 680 702	5.0	50	85	1	5	240	175	
		2 608 680 712	5.5	50	85	1	5	240	175	
		2 608 680 703	6.0	60	100	1	5	150	178	
		2 608 680 713	6.5	60	100	1	5	150	178	
		2 608 680 706	8.0	80	120	1	5	120	328	
		2 608 680 709	10.0	80	120	1	5	120	330	
		2 608 680 715	13.0	90	150	1	5	120	336	
										
	Silver Percussion (Sets)	2 608 680 725	5.0 - 6.0 - 8.0				3pc - SET	5	100	389
										155
		2 608 680 726	4.0 - 5.0 - 6.0 - 8.0 - 10.0				5pc - SET	5	50	683
										

Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working length	Total length				
	Multi-Purpose Bits	2 608 680 696	3.0	40	70	1	5	240	167
		2 608 680 697	4.0	40	75	1	5	240	167
		2 608 680 698	5.0	50	85	1	5	240	188
		2 608 680 792	6.0	60	100	1	5	150	195
		2 608 680 795	8.0	80	120	1	5	120	210
		2 608 680 796	10.0	80	120	1	5	120	261
		2 608 680 797	12.0	90	150	1	5	120	425
		2 608 680 798	4.0 - 5.0 - 6.0 - 8.0 - 10.0			5pc - SET	50	50	845



Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working length mm	Total length mm				
	NEW!! SDS PLUS 1 concrete drill Bits	2 608 680 257	4.0	50	110	1	25	200	110
		2 608 680 262	6.0	50	110	1	25	200	110
		2 608 680 269	8.0	50	110	1	25	200	127
		2 608 680 259	5.0	100	160	1	25	200	121
		2 608 680 263	6.0	100	160	1	25	200	121
		2 608 680 268	7.0	100	160	1	25	200	127
		2 608 680 270	8.0	100	160	1	25	200	132
		2 608 680 273	10.0	100	160	1	25	200	138
		2 608 680 277	12.0	100	160	1	20	160	149
		2 608 680 281	14.0	100	160	1	15	120	198
		2 608 680 264	6.0	150	210	1	25	200	143
		2 608 680 271	8.0	150	210	1	25	150	154
		2 608 680 274	10.0	150	210	1	25	150	165
		2 608 680 278	12.0	150	210	1	20	120	193
		2 608 680 272	8.0	200	260	1	25	150	176
		2 608 680 275	10.0	200	260	1	20	120	209
		2 608 680 279	12.0	200	260	1	20	80	231
		2 608 680 286	16.0	250	310	1	15	60	380
		2 608 680 276	10.0	400	460	1	10	60	330
		2 608 680 282	12.0	400	460	1	10	60	358
		2 608 680 283	14.0	400	460	1	10	60	380
		2 608 680 284	16.0	400	460	1	10	60	400
		2 608 680 285	18.0	400	460	1	10	60	420
		2 608 680 287	20.0	400	460	1	10	60	440

Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working length	Total length				
	SDS PLUS 3 CONCRETE DRILL BITS	2 608 831 166	6.0	50	110	1	100	100	242
		2 608 831 177	8.0	50	110	1	100	100	252
		2 608 831 160	4.0	100	160	1	100	100	242
		2 608 831 162	5.0	100	160	1	100	100	242
		2 608 831 165	5.5	100	160	1	100	100	242
		2 608 831 167	6.0	100	160	1	100	100	305
		2 608 831 175	7.0	100	160	1	100	100	352
		2 608 831 178	8.0	100	160	1	100	100	315
		2 608 831 184	10.0	100	160	1	100	100	352
		2 608 831 191	12.0	100	160	1	100	100	457
		2 608 831 196	13.0	100	160	1	90	90	546
		2 608 831 197	14.0	100	160	1	80	80	546
		2 608 831 163	5.0	150	210	1	50	50	273
		2 608 831 179	8.0	150	210	1	50	50	394
		2 608 831 185	10.0	150	210	1	50	50	457
		2 608 831 192	12.0	150	210	1	50	50	535
		2 608 831 198	14.0	150	210	1	50	50	656
		2 608 831 403	16.0	150	210	1	40	40	767
		2 608 831 415	22.0	200	250	1	20	20	1,964
		2 608 831 420	25.0	200	250	1	16	16	2,510
		2 608 831 193	12.0	200	260	1	40	40	635
		2 608 831 408	18.0	250	300	1	20	20	1,313
		2 608 831 412	20.0	250	300	1	20	20	2,074
		2 608 831 187	10.0	250	310	1	25	25	599
		2 608 831 404	16.0	250	310	1	20	20	830
		2 608 831 406	16.0	400	460	1	20	20	1,964
Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working length	Total length				
	NEW!! SDS PLUS 5X - 4 CUTTER BIT	2608833777	6	50	110	1			345
		2608833788	8	50	110	1			356
		2608833772	5	100	160	1			260
		2608833778	6	100	160	1			368
		2608833789	8	100	160	1			383
		2608833798	10	100	160	1			423
		2608833807	12	100	160	1			557
		2608833813	13	100	160	1			610
		2608833775	5.5	100	160	1			276
		2608833786	7	100	160	1			375
		2608833773	5	150	210	1			308
		2608833790	8	150	210	1			443
		2608833799	10	150	210	1			475
		2608833808	12	150	210	1			627
		2608833814	13	150	210	1			682
		2608833825	16	150	210	1			854
		2608833809	12	200	260	1			676
		2608833815	13	200	260	1			757
		2608833823	15	200	260	1			868
		2608833801	10	250	310	1			733
		2608833820	14	300	360	1			966
		2608833821	14	400	460	1			1,142
		2608833829	16	400	460	1			1,294
Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working length mm	Total length mm				
	SDS Max 4 DRILL BITS	2 608 685 861	16	400	540	1	20	20	2,902
		2 608 685 863	18	400	540	1	20	20	2,962
		2 608 685 865	20	400	520	1	15	15	2,953
		2 608 685 867	22	400	520	1	15	15	3,189
		2 608 685 869	25	400	520	1	12	12	3,212
		2 608 685 871	28	400	520	1	8	8	3,723
		2 608 685 875	32	400	520	1	8	8	5,099
Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working length	Total length				
	SDS Max 7 DRILL BITS	2 608 586 738	12	200	340	1	12	12	4,580
		2 608 586 739	12	400	540	1	18	18	5,890
		2 608 586 740	12	600	740	1	10	10	7,335
		2 608 586 744	14	200	340	1	12	12	5,240
		2 608 586 745	14	400	540	1	18	18	6,685
		2 608 586 749	15	200	340	1	12	12	5,900
		2 608 586 750	15	400	540	1	18	18	6,945
		2 608 586 751	16	200	340	1	12	12	6,160
		2 608 586 752	16	400	540	1	8	8	7,075
		2 608 586 758	18	200	340	1	12	12	6,550
		2 608 586 759	18	400	540	1	8	8	7,270
		2 608 586 763	19	200	320	1	12	12	5,680
		2 608 586 764	19	400	520	1	8	8	6,555
		2 608 586 765	20	200	320	1	12	12	6,685
		2 608 586 766	20	400	520	1	8	8	7,730
		2 608 586 770	22	200	320	1	12	12	6,845
		2 608 586 771	22	400	520	1	8	8	7,860
		2 608 586 773	22	800	920	1	9	9	12,185
		2 608 586 777	25	200	320	1	12	12	7,340
		2 608 586 778	25	400	520	1	8	8	8,125

Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working length	Total length				
	SDS Max 7 DRILL BITS	2 608 586 778	25	400	520	1	8	8	8,125
		2 608 586 784	28	200	320	1	12	12	8,900
		2 608 586 786	28	400	520	1	6	6	9,825
		2 608 586 786	28	600	720	1	8	8	11,335
		2 608 586 789	30	200	320	1	12	12	9,300
		2 608 586 790	30	400	520	1	6	6	11,000
		2 608 586 791	32	200	320	1	12	12	6,955
		2 608 586 792	32	400	520	1	6	6	9,695
		2 608 586 794	32	800	920	1	5	5	10,910
		2 608 586 800	38	400	520	1	6	6	11,625
Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
			Dia mm	Working Length	Total Length				
	SDS Max Quadro X	1 618 596 443	32	450	570	1	6	6	12,500
		1 618 596 444	32	800	920	1	5	5	18,345
Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
	SDS PLUS chisels	2 608 390 576	SDS + POINTED Chisel 250 mm			1	50	50	872
		2 609 390 394	SDS + FLAT Chisel 20 X 250 mm			1	50	50	872
		1 618 601 004	SDS + GOUGING Chisel 22 X 250 mm			1	40	40	1,943
		2 608 690 119	SDS + POINTED PEN CHISEL 160mm			1	10	100	273
		2 608 690 120	SDS + POINTED PEN CHISEL 160 mm			10	10	100	1,995
		2 608 690 121	SDS + FLAP PEN CHISEL 160 mm			1	10	100	273
		2 608 690 122	SDS + FLAT PEN CHISEL 160 mm			10	10	100	1,995
Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
	SDS MAX chisels	1 618 600 023	Pointed Chisel (280 mm)			1	0	16	872
		2 608 690 167	(Star Point) RTec pointed chisel 400mm			1	10	10	1,700
		2 608 690 128	Pointed Chisel 400 mm			1	0	1	11,300
		2 608 690 232	NEW!! - Pointed Chisel 600 mm			10	0	10	12,200
		2 608 690 124	(R-TEC) Flat Chisel 400 mm			1	10	10	1,462
		1 618 600 210	Flat Chisel (25 x 280 mm)			1	0	16	965
	HEX Chisels for GSH 27	2 608 690 106	(Star Pt) pointed chisel 400 mm			1	5	5	2,510
		1 618 600 019	Pointed chisel 520 mm			1	5	5	3,400
		1 618 600 206	Flat chisel 520 mm			1	5	5	3,246
									
	HEX Chisels for GSH 16	2 608 690 111	(Star point) pointed chisel 400 mm			1	5	5	4,202
		2 608 690 112	Flat chisel 400 mm			1	5	5	4,043
		2 608 690 115	Tool holder for Tamping Plate 400 mm			1	2	2	7,823
									
	HEX Chisels for GSH 500 0/5X	2 608 684 884	17X280mm, point chisel - 1 pc pack			1	5	10	390
		2 608 684 885	17X280mm, flat chisel - 1 pc pack			1	5	10	390
		2 608 690 350	NEW!! - 17X280mm, point chisel - 10pcs pack			10	5	10	3,900
		2 608 690 351	NEW!! - 17X280mm, flat chisel, - 10pcs pack			10	5	10	3,900
		2 608 690 382	NEW!! - Pointed Chisel (HEX 12 X 450 mm)			5	10		2,715
		1 608 690 383	NEW!! - Flat Chisel (HEX 12 X 5450 mm)			5	10		2,715
									
	Other Accessories for Hammers	1 617 000 132	SDS Plus Adapter			1	5	60	473
		2 607 000 982	SDS Plus Adapter & chuck set (1/2" Chuck)			1	20	20	1,680
		1 618 598 159	SDS Max to Plus Adapter			1	20	20	4,200
		2 608 572 059	13 mm Quick-Change Chuck for GBH 4DSC			1	7	7	3,675
Product Image (sample)	Product	Part Number	Description			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
 Grinding		2 608 600 017	4-inch Grinding Disc for Metal			1	25	100	55
		2 608 600 091	4-inch Cutting Disc for Metal 2.5x16.0 mm			1	25	100	55
		2 608 600 266	4-inch Cutting Disc for Metal 1.2 x 16.0			1	25	500	55
		2 608 607 414	4-inch Cutting Disc for INOX			1	25	500	76
		2 608 603 413	NEW!! 4-inch Cutting Disc for INOX			1	25	500	65
		2 608 603 225	4-inch EXPERT for Metal 6.0 x 16.0 mm			1	25	150	43

Product Image (sample)	Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price		
 Cutting	Cutting and Grinding	2 608 603 216	4-inch EXPERT for Metal - Cutting 100 X 2.5 X 16.0 mm	1	25	100	85		
		2 608 601 323	4-inch Best for Metal Grinding Disc	1	20	400	85		
		2 608 600 434	4-inch Flexible Grinding Disc for INOX	1	25	100	80		
2 608 602 267		4-inch Grinding Disc for INOX	1	10	100	711			
2 608 603 465		4-inch EXPERT for INOX (10-pc Can)	10	25	100	59			
2 608 600 092		4-inch Cutting Disc for Stone	1	25	100	108			
2 608 600 263		5-inch Grinding Disc for Metal	1	25	100	90			
2 608 600 270		5-inch Cutting Disc for Metal	1	25	50	210			
2 608 603 406		NEW!! 7-inch Cutting Disc for Metal - INOX	1	25	50	141			
2 608 600 246		7-inch Grinding Disc for Metal	1	25	100	141			
2 608 600 272		7-inch Cutting Disc for Metal	1	25	100	141			
2 608 600 273		7-inch Cutting Disc for Stone	1	25	50	216			
2 608 600 265		9-inch Grinding Disc for Metal	1	25	50	216			
2 608 600 274		9-inch Cutting Disc for Metal	1	25	50	216			
2 608 600 275		9-inch Cutting Disc for Stone	1	25	50	216			
2 608 600 276		12-inch Cutting Disc for Metal	1	25	50	355			
2 608 600 277		14-inch Cutting Disc for Metal (Double-ply)	1	25	50	375			
 Cutting - Inox		2 608 600 936	14-inch Cutting Disc for Metal (Single-ply)	1	25	50	300		
	2 608 603 223	14-inch EXPERT for Metal (Double-ply)	1	25	20	275			
	2 608 602 751	NEW!! 14-inch Cutting Disc Standard for Metal (Double-ply)	1	25	50	272			
 14" Cutting									
Product Image (sample)	Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price		
		2 608 621 309	General purpose (wet & dry) grit 60	100/ ream	1 ream	1 ream	2,310		
	2 608 621 310	General purpose (wet & dry) grit 80	100/ ream	1 ream	1 ream	2,310			
	2 608 621 311	General purpose (wet & dry) grit 100	100/ ream	1 ream	1 ream	2,310			
	2 608 621 312	General purpose (wet & dry) grit 120	100/ ream	1 ream	1 ream	2,310			
	2 608 621 313	General purpose (wet & dry) grit 150	100/ ream	1 ream	1 ream	2,050			
	2 608 621 314	General purpose (wet & dry) grit 180	100/ ream	1 ream	1 ream	2,050			
	2 608 621 315	General purpose (wet & dry) grit 220	100/ ream	1 ream	1 ream	2,050			
	2 608 621 316	General purpose (wet & dry) grit 240	100/ ream	1 ream	1 ream	2,050			
	2 608 621 317	General purpose (wet & dry) grit 320	100/ ream	1 ream	1 ream	2,050			
	2 608 621 318	General purpose (wet & dry) grit 400	100/ ream	1 ream	1 ream	2,050			
	2 608 621 319	General purpose (wet & dry) grit 500	100/ ream	1 ream	1 ream	2,050			
	2 608 621 320	General purpose (wet & dry) grit 600	100/ ream	1 ream	1 ream	2,050			
	2 608 621 321	General purpose (wet & dry) grit 800	100/ ream	1 ream	1 ream	2,050			
	2 608 621 322	General purpose (wet & dry) grit 1000	100/ ream	1 ream	1 ream	2,050			
	2 608 621 323	General purpose (wet & dry) grit 1200	100/ ream	1 ream	1 ream	2,050			
	2 608 608 N94	4" Fiber disc - 100mm Expert for metal P60	1	10	500	31			
	2 608 608 N95	4" Fiber disc - 100mm Expert for Metal P80	1	10	500	31			
	2 608 608 N96	4" Fiber disc - 100mm Expert for Metal P100	1	10	500	31			
	2 608 601 675	NEW!! Alox Flap Disc - 100mm Standard for Metal P36	1	10	200	65			
	2 608 601 676	NEW!! Alox Flap Disc - 100mm Standard for Metal P60	1	10	200	65			
	2 608 601 677	NEW!! Alox Flap Disc - 100mm Standard for Metal P80	1	10	200	65			
	2 608 601 678	NEW!! Alox Flap Disc - 100mm Standard for Metal P120	1	10	200	65			
	2 608 603 700	Flexible Flap Disc X435 - 100mm P60	1	10	200	112			
	2 608 603 701	Flexible Flap Disc X435 - 100mm P80	1	10	200	112			
	2 608 603 702	Flexible Flap Disc X435 - 100mm P100	1	10	200	112			
	NEW!! 8- hole Velcro Discs Ideal for GEX 125-1AE Eccentric Sander			Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price		
		2 608 608 T64	125	60	8-Holes	50 / box	50	500	951
		2 608 608 T65	125	80	8-Holes	50 / box	50	500	951
2 608 608 T66		125	100	8-Holes	50 / box	50	500	951	
2 608 608 T67		125	120	8-Holes	50 / box	50	500	951	
2 608 608 T69		125	180	8-Holes	100 / box	100	1000	1,902	
2 608 608 T71		125	240	8-Holes	100 / box	100	1000	1,902	
Product Image (sample)	Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price		
 4" Turbo Disc	Diamond Discs	2 608 603 615	4" Turbo Disc for Tile/Ceramic	1	10	100	525		
		2 608 600 704	4" Continuous rim, ideal for cutting tiles	1	10	120	656		
		2 608 600 923	4" Segmented, best for marble/granite	1	10	120	656		
2 608 600 924		4" Segmented, ideal for cutting concrete	1	10	120	656			
2 608 602 523		4" Segmented, Universal	1	0	25	656			
2 608 602 194		7" Segmented, Standard for Universal	1	20	20	1,100			
2 608 603 606		NEW!! 4" Expert for Universal Cup Wheel	1	40	40	925			
2 608 615 056		NEW!! 4" DCD Concrete	1	100	100	275			
2 608 615 025		NEW!! 4" DCD Universal	1	100	100	275			
2 608 615 055		NEW!! 4" DCD Stone	1	100	100	275			
2 608 615 026		NEW!! 4" DCD Ceramic	1	100	100	340			
 4" Eco Tile		2 608 615 006	350mm 10mm Standard for Concrete 14-inch	1	10	10	7,728		
		2 608 615 007	400mm 10mm Standard for Concrete 16-inch	1	5	5	11,595		
		2 608 615 016	350mm 10mm Standard for Asphalt 14-inch	1	10	10	9,432		
		2 608 615 017	400mm 10mm Standard for Asphalt 16-incg	1	5	5	13,100		
 Core cutter Bits		2 608 601 359	Wet Diamond Core Bit 52 x 450 mm	1	4	4	8,750		
		2 608 601 363	Wet Diamond Core Bit 77 x 450 mm	1	4	4	10,150		
		2 608 601 366	Wet Diamond Core Bit 102 x 450 mm	1	4	4	18,250		

Product Image (sample)	Product	Part Number	Description		Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
 	Jigsaw Blades	2 608 630 014	Wood	T 101BR (reversed, fine straight)	5	10	100	578
		2 608 630 030	Wood	T 101B (fine straight cut)	5	100	100	525
		2 608 630 031	Wood	T 101AO (fine curved)	5	100	100	578
		2 608 630 032	Wood	T 101D (fine straight cut)	5	100	100	525
		2 608 630 033	Wood	T 111C (coarse quick cut)	5	10	100	420
		2 608 630 037	Wood	T 119B (chipboard, perspex)	5	10	100	368
		2 608 630 040	Wood	T 144D (straight quick cut)	5	100	100	462
		2 608 630 058	Wood	T 244D (quick curved cut)	5	10	100	504
		2 608 630 310	Wood	T 119BO (tightest curved cut)	5	100	100	441
		2 608 637 944	Wood	T 344D, (thick wood, soft wood chipboard, fibre	5	100	100	473
		2 608 633 A35	Wood	T 144DP (Parallel cut, soft wood & fibre board)	5	100	100	462
		2 608 634 567	Wood	T144 DF (Bi-Metal, quick clean)	5	10	50	630
		2 608 633 528	Wood	T 234X (Progressor Blade)	5	10	100	525
		2 608 663 751	Wood	T308B (Extra Clean straight cut)	5	10	100	683
		2 608 663 868	Wood	T308BO (Extra Clean curve cut)	5	10	100	785
		2 608 631 010	Metal	T 101A (aluminum 10 mm)	5	100	100	893
		2 608 631 012	Metal	T 118G (straight cut, 0.2-1.0 mm)	5	10	100	525
		2 608 631 013	Metal	T 118A (straight cut, 1.5-3.0 mm)	5	100	100	525
		2 608 631 014	Metal	T 118B (straight cut 3-6 mm)	5	100	100	525
		2 608 631 017	Metal	T 127D (straight quick cut)	5	10	100	578
		2 608 631 030	Metal	T 227D (curved cut)	5	10	100	735
		2 608 631 319	Metal	T 318A (straight cut)	5	100	100	788
		2 608 631 404	Metal	T 318B (straight/curved cut)	5	100	100	819
		2 608 638 472	Metal	T 123X Progressor Blade	5	100	100	525
		2 608 630 663	Stainless	T 118 AHM (1.5- 3.0 mm)	3	10	50	1,575
		2 608 630 665	Stainless	T 118 EHM (2.0-5.0 mm)	3	50	50	1,575
		2 608 634 234	Various	T 101BF (fine straight cut)	5	50	50	1,680
		2 608 634 503	Various	T 118BF (thick materials, curved)	5	100	100	704
		2 608 634 505	Various	T 118AF (non-ferrous metals)	5	100	100	704
		2 608 634 993	Various	T 345XF Progressor Blade	3	10	100	840
		2 608 637 572	Makita Shank	MA 111C (quick cut)	5	10	100	420
		2 608 631 781		MA 118 A (Type 1, straight cut)	5	10	100	525
		2 607 001 069	Other AC	Parallel Guide-circle & parallel cuts <300mm		25	25	894
		2 607 010 079		Anti-Splintering Device (5-pcs)	5	20	100	293
Product	Part Number	Description		Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price	
		Description	Dimensions (LxWxH)					
SABRE SAW BLADES	2 608 658 027	S722VFR Pallet Repair(Cutting Depth 125mm)	190 x 19 x 0.9 mm	5	50	50	1,340	
	2 608 658 030	S1122VFR Pallet Repair(Cutting Depth 165mm)	225 x 19 x 0.9 mm	5	50	50	1,546	
	2 608 650 617	S1111K Coarse wood (20-175 mm)	225 x 19 x 1.25 mm	2			662	
	2 608 656 020	S1122EF Thin sheet metals (1.5-4mm)	225 x 19 x 0.9 mm	5			1,134	
	2 608 656 019	S1122BF Thick sheet metals (3-8mm)	225 x 19 x 0.9 mm	5			1,134	
	2 608 657 550	S922BF Thick sheet Metals (3-8 mm)	150 x 19 x 0.9 mm	25	10	10	4,490	
NEW! Carbide Multiwheel	2 608 643 066	Carbide Multi Wheel 110 x 20/16mm.		1	0	100	485	
Product	Part Number	Description		Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price	
Expert & Best For Range Circular Saw Blades	2 608 642 971	Wood	165MM 184x2.0/1.4x25.4 T40	1	30	1	1,005	
	2 608 642 984	Wood	7 1/4" 184x2.0/1.4x25.4 T40	1	30	1	1,155	
	2 608 642 985	Wood	7 1/4" 184x2.0/1.4x25.4 T60	1	30	1	1,465	
	2 608 643 000	Wood	9 1/4" 235x2.2/1.5x30 T60	1	10	1	1,820	
	2 608 643 007	Wood	10" 254x2.5/1.8x30 T40	1	10	1	1,325	
	2 608 643 008	Wood	10" 254x2.5/1.8x30 T60	1	10	1	1,545	
	2 608 643 009	Wood	10" 254x2.5/1.8x30 T80	1	10	1	1,945	
	2 608 643 024	Wood	NEW!! 12" 305x2.5/1.8x30 T40	1	10	1	2,515	
	2 608 643 027	Wood	12" 305x2.5/1.8x30 T100	1	10	1	3,170	
	2 608 643 032	Wood	NEW!! 14" 356x3.3/2.2x30 T30	1	5	1	3,260	
	2 608 643 037	Wood	NEW!! 16" 406x3.2/2.2x30 T30	1	5	1	3,750	
	2 608 642 194	Multi Material	7 1/4" x 1" x 60T	1	20	20	1,727	
	2 608 642 197	Multi Material	9 1/4" x 25 x 80T	1	20	20	1,962	
	2 608 642 203	Multi Material	10" x 30 x 120T	1	12	12	2,965	
	2 608 642 207	Multi Material	12" x 1" x 120T	1	10	10	5,770	
	2 608 642 211	Multi Material	14" x 1" x 80T	1	6	6	6,605	
Eco line Circular Saw Blades	2 608 644 316	Wood	NEW!! 4" 40 TCT Eco for Wood	1	100	100	430	
	2 608 644 319	Multi Material	NEW!! 4" 40 TCT Eco for Multi Material	1	100	100	445	
	2 608 644 317	Wood	NEW!! 7" 40 TCT Eco for Wood	1	60	60	710	
	2 608 644 318	Wood	NEW!! 7" 60 TCT Eco for Wood	1	60	60	780	
	2 608 644 306	Wood	NEW!! 9" 60 TCT Eco for Wood	1	30	30	1,120	
	2 608 644 310	Wood	NEW!! 10" 80 TCT Eco for Wood	1	25	25	1,325	
	2 608 644 313	Wood	NEW!! 12" 60 TCT Eco for Wood	1	20	20	1,550	
	2 608 644 314	Aluminum	NEW!! 10" 112 TCT Eco for Alu	1	25	25	1,920	
Product	Part Number	Description		Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price	
Bi-Metal Holesaw	2 608 580 397	Bi-metal Hole Saw, 16mm = 5/8"		1	100	100	254	
	2 608 580 399	Bi-metal Hole Saw, 19mm = 3/4"		1	100	100	282	
	2 608 580 400	Bi-metal Hole Saw, 20mm = 25/32"		1	100	100	292	
	2 608 580 402	Bi-metal Hole Saw, 22mm = 7/8"		1	100	100	316	
	2 608 580 404	Bi-metal Hole Saw, 25mm = 1"		1	100	100	335	
	2 608 580 405	Bi-metal Hole Saw, 27mm = 1 1/16"		1	100	100	364	
	2 608 580 407	Bi-metal Hole Saw, 30mm = 1 3/16"		1	100	100	397	
	2 608 580 408	Bi-metal Hole Saw, 32mm = 1 1/4"		1	100	100	421	
	2 608 580 410	Bi-metal Hole Saw, 35mm = 1 3/8"		1	100	100	440	
	2 608 580 412	Bi-metal Hole Saw, 38mm = 1 1/2"		1	50	50	505	

Product Image (sample)	Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
	Bi-Metal Holesaw	2 608 580 413	Bi-metal Hole Saw, 40mm = 1 9/16"	1	50	50	515
		2 608 580 416	Bi-metal Hole Saw, 44mm = 1 3/4"	1	50	50	562
		2 608 580 418	Bi-metal Hole Saw, 48mm = 1 7/8"	1	50	50	611
		2 608 580 419	Bi-metal Hole Saw, 51mm = 2"	1	50	50	634
		2 608 580 421	Bi-metal Hole Saw, 54mm = 2 1/8"	1	50	50	724
		2 608 580 425	Bi-metal Hole Saw, 60mm = 2 3/8"	1	50	50	786
		2 608 580 426	Bi-metal Hole Saw, 64mm = 2 1/2"	1	50	50	814
		2 608 580 432	Bi-metal Hole Saw, 76mm = 3"	1	30	30	986
		2 608 580 440	Bi-metal Hole Saw, 102mm = 4"	1	20	20	1,314
		2 608 580 446	Bi-metal Hole Saw, 127mm = 5"	1	10	10	1,790
		2 608 580 448	Bi-metal Hole Saw, 152mm = 6"	1	10	10	2,052
		2 609 390 588	Hex Holesaw Adapter 1/2"-20 UNF, 14-30 mm	1	10	40	741
		2 609 390 034	Hex Holesaw Adapter (11MM)(DIA.33-152MM)	1	6	24	1,324


Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
						
	2 607 000 193	HSS, Makita type, Resharpenable blades for GH0 20-82 / GH0	1	10	200	882
	2 607 000 096	Straight, Reversible Tungsten Carbide Blades	1	10	250	945

Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
	2 608 594 009	20 mm TCT Holesaw TM5-22	1	5	70	2,560
	2 608 594 011	22mm TCT Holesaw TM5-22	1	5	70	2,910
	2 608 594 014	25mm TCT Holesaw TM5-25	1	5	70	2,910
	2 608 594 016	27mm TCT Holesaw TM5-27	1	5	70	3,000
	2 608 594 021	32 mm TCT Holesaw TM5-22	1	4	40	3,390
	2 608 594 024	35 mm TCT Holesaw TM5-22	1	4	40	3,390
	2 608 594 027	38 mm TCT Holesaw TM5-22	1	4	40	3,620
	2 608 594 030	41 mm TCT Holesaw TM5-22	1	4	40	4,030
	2 608 594 040	51 mm TCT Holesaw TM5-22	1	3	18	4,750

Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
	2 608 628 411	ST BIT -2 FLUTE 1/4" (1/4 X 5/8 X 1 7/8)	1	5	50	417
	2 608 628 412	ST BIT-2 FLUTE 1/4" (3/8 X 25/32 X 2)	1	5	50	460
	2 608 628 413	ST BIT-2 FLUTE 1/4" (1/2 X 25/32 X 2)	1	5	50	525
	2 608 628 414	ST BIT-2 FLUTE 1/4" (3/4 X 25/32 X 2)	1	5	50	581
	2 608 628 415	V-GROOVE 1/4" (1/2 X 1/2 X 90 X 1 3/4)	1	5	50	378
	2 608 628 416	CHAMF+BALL 1/4" (7/16X19X32X45X2 3/16)	1	5	50	731
	2 608 628 417	RABBET+BALL 1/4" (1 X 1/2 X 1/4 X 2 1/8)	1	5	50	807
	2 608 628 418	COREBOX 1/4" (1/2 x 3/8 x R1/4 x 1-9/16)	1	5	50	433
	2 608 628 419	ROMOGEE+BALL 1/4"(5/6 X 1/2 X R4 X2 1/8)	1	5	50	655
	2 608 628 420	COVE+BALL 1/4" (1 X 1/2 X R1/4 X 2 1/8)	1	5	50	630
	2 608 628 421	BEAD+BALL 1/4" (1/4X17/32XR1/4X2 3/16)	1	5	50	731
	2 608 628 422	BEAD+BALL 1/4" (3/8X21/32XR3/8X2 5/16)	1	5	50	782
	2 608 628 423	BEAD+BALL 1/4" (1/2 X 3/4 XR1/2 X2 7/16)	1	5	50	852
	2 608 628 424	OVOLO 1/4" (1 X 9/16 X R1/4 X 1 13/16)	1	5	50	706
	2 608 628 425	COREBOX 1/4" (1/4 X 3/8 X R1/8 X 1 9/16)	1	5	50	359
	2 608 628 427	ST BIT-1 FLUTE 1/4" (1/8 X 5/16 X 2)	1	5	50	349
	2 608 628 428	ST BIT-1 FLUTE 1/4" (3/16 X 1/2 X 2)	1	5	50	359
	2 608 628 429	ST BIT-2 FLUTE 1/4" (5/16 X 25/32 X 2)	1	5	50	378
	2 608 628 630	V-GROOVE 1/4" (1/4 X 5/16 X 90 X 1 9/16)	1	5	50	359
	2 608 628 631	V-GROOVE 1/4" (3/8 X 1/2 X 90 X 1 3/4)	1	5	50	367
	2 608 628 632	COREBOX 1/4" (3/8 x 3/8 x R3/16 x 1-9/16)	1	5	50	388
	2 608 628 633	COREBOX 1/4" (5/8 x 1/2 x R5/16 x 1-3/4)	1	5	50	503
	2 608 628 634	COREBOX 1/4" (1 x 5/8 x R1/2 x 2 1/4)	1	5	50	581
	2 608 628 635	TRIM+BALL 1/4" (1/4 X 1/2 X 2 1/8)	1	5	50	521
	2 608 628 636	TRIM+BALL 1/4" (3/8 X 9/16 X 2 3/16)	1	5	50	534
	2 608 628 637	TRIM+BALL 1/4" (1/2 X 1/2 X 3 3/16)	1	5	50	562
	2 607 019 462	ROUTER BIT SET (6 pcs)	1	30	30	1,582
	2 607 019 465	ROUTER BIT SET (12 pcs)	1	20	20	2,860



Product	Part Number	Description	Packing	Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
Screwdriver bits	2 608 521 039	Sand blasted 65 mm, Philips 2, Double ended	10	12	144	578
	2 608 521 041	Gold plated 45 mm, Philips 2, Double ended	10	12	120	550
	2 608 521 042	Gold plated 65 mm, Philips 2, Double ended	10	12	72	788
	2 608 521 043	Gold plated 110 mm, Philips 2, Double ended	10	12	48	998
	2 608 521 267	Impact 65mm Philips 2, Double Ended	10	40	80	850

Other Accessories	Part Number	Description		Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
Accessories for Sander	2 608 610 001	Lambswool bonnet (130mm)		5	5	840
	2 608 613 005	Polishing sponge (130mm)		5	5	630
	2 608 000 349	Rubber backing pad (125mm) medium		20	20	1,575
Accessories for Drills / Impact Drills	2 608 571 078	Chucks	3/8" - 24 mount, 1.0-10mm capacity	50	500	663
	2 608 571 079		1/2" - 20 mount, 1.5-13mm capacity	50	500	578
	2 608 571 062		1/2" - 20 mount, 1.5-13mm capacity	20	20	1,575
	2 608 572 253		1/2" - 20 mount, 1.5-13mm	5	40	578
	1 607 950 028	Chuck Keys	For chucks up to 6.5 mm	10	150	263
	1 607 950 045		For chucks up to 13 mm	10	50	315
	1607 950 041		For chucks up to 16 mm	10	50	1,050
	1 612 025 024	Other Accessories	Auxiliary Handle with 43 mm collar	12	12	1,950
	1 613 001 005		210 mm depth stop for 1612025024 Aux. handle	50	50	137
	1 609 200 291		Paint stirrer attachment	12	12	263
Other Accessories	Part Number	Description		Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
Batteries and Chargers	2 607 336 600	For GDR Series	Battery pack Li-ion 10.8V / 1.3Ah, Alpha	20	20	4,675
	2 607 225 424		Charger AL 1820	8	8	4,870
	2 607 336 014	For GSR 10.8V	Battery pack Li-ion 10.8V / 1.3Ah	12	12	4,780
	2 607 225 028		Charger AL 1130	5	20	5,150
	2 607 336 150	For GSR 14.4V	Battery pack Li-ion 14.4V / 1.3Ah	20	20	7,000
	2 607 225 424		Charger AL 1820	8	8	4,870
   						
New!! Accessories for Cordless Drills	2 607 001 533	Philips Screw Bits	S'RIVER BIT (PH1 89MM) (3 PIECES)	3	10	290
	2 607 001 535		S'RIVER BIT (PH2 89 MM) (3 PIECES)	3	10	285
	2 607 001 537		S'RIVER BIT (PH3 89 MM) (3 PIECES)	3	10	298
	2 607 001 646	Torx Screw Bits	SCREWDRIVER BITS T8 (89MM)	1	10	150
	2 607 001 648		SCREWDRIVER BITS T10 (89 MM)	1	10	150
	2 607 001 650		SCREWDRIVER BITS T15 (89 MM)	1	10	150
	2 607 001 652		SCREWDRIVER BITS T20 (89 MM)	1	10	150
	2 607 001 654		SCREWDRIVER BITS T25 (89MM)	1	10	150
	2 607 001 658		SCREWDRIVER BITS T30 (89MM)	1	10	150
	2 607 001 477	Flat Screw Bits	SCREWDRIVER BUTS, S 0.8 X 4.5	3	10	190
	2 607 001 479		SCREWDRIVER BITS, S 0.8 X 5.5	3	10	180
	2 607 001 481		SCREWDRIVER BITS, S 1.0 X 5.5	3	10	180
        						
Accessories for Grinders	2 606 703 030	For NEW GWS 7-100/ 6-100 / 8-100C / CE	Flange (M10)	100	100	265
	1 602 025 024		Auxiliary Handle	45	45	189
	2 603 340 018		Nut (M10)	100	100	473
	2 605 510 156		Guard	0	0	570
	2 608 000 629		Dust Extraction Guard - Grinding	10	10	1,641
	1 607 950 040		Pin Spanner	100	100	420
	2 608 601 046		Backing Pad	20	20	525
	2 608 622 062		Wire Cup Brush (M10)	15	15	350
	1 619 P06 514		NEW!! Dust Guard	1	1	1,950
	1 605 703 099	For NEW GWS 11-125CL	Flange (M14)	5	50	263
	1 602 025 024		Auxiliary Handle	45	45	189
	1 603 340 040		Nut (M14)	10	200	473
	2 605 510 101		Guard	25	25	970
	1 607 950 048		Dust Extraction Guard - Grinding	5	50	473
	1 608 601 033		Pin Spanner	15	15	840
	1 605 703 099	For GWS20-180 / GWS 20 -230	Flange (M10)	5	50	263
	2 602 025 075		Auxiliary Handle	20	20	347
	1 603 340 040		Nut (M10)	10	200	473
	1 605 510 222		Guard (GWS 20-180)	0	0	2,200
	1 605 510 223		Guard (GWS 20-230)	0	0	2,200
	1 607 950 048		Pin Spanner	5	50	473

Other Accessories	Part Number	Description		Small Box Qty (pcs)	Master Box Qty (pcs)	List Price
-------------------	-------------	-------------	--	---------------------	----------------------	------------



Accessories for Polishers	1 608 610 000	For GPO 14 E/14 CE	Lambswool Bonnet (180 mm)	10	10	1,470
	1 608 613 013		Polishing Sponge	7	7	2,730
	2 608 612 027		Backing Pad (150mm) M14	15	15	2,397
Collets	2 608 570 048	For Straight Grinders	Collect 6.5 mm (1/4") for GGS 27	10	100	578
	2 608 570 084		Collect 6.0 mm (with nut) for GGS 27L	100	100	1,575
	2 608 570 085		Collect 6.5 mm (1/4") (with nut for GGS 27L	5	100	1,260
Blade Sets for Shears	3 607 010 028	Upper and Lower Blade Set for metal (5-pc blade set) for GCS 1.6		5	200	2,730
	2 607 010 025	Upper and Lower Blade Set (5-pc blade set) for GSC 1.8, 2.8		5	200	1,680
Accessories for Vacuum Cleaners	2 605 411 150	Paper Dust Bag (5pcs / pack) for GAS 111-21		10	10	2,310
	2 607 432 013	Permanent Filter for GAS/PAS 11-21		5	5	7,350
	2 605 411 163	Paper Dust Bag (5pcs / pack) for GAS 50		10	10	3,990
	2 607 432 017	Polyester Filter for GAS 50		0	1	14,700
	1 609 201 230	Large Floor Nozzle with brush		18	18	3,780
	1 609 390 478	Multi-Purpose Nozzle		8	8	2,730
	1 609 390 481	Small round brush		16	16	998
	1 609 390 481	Crevice Nozzle, 250 mm		24	24	683
Accessories for Vacuum Cleaners	2 607 000 166	Small floor nozzle with brush		0	12	998
	2 607 000 168	Scraper Nozzle		10	10	1,890
	2 607 000 170	Coarse Dirt Nozzle		14	14	1,260
	2 607 000 162	Extraction tube/pipe		0	0	840
	2 607 000 164	Suction regulator control		10	10	2,520
	1 609 390 491	1.7 m vacuum cleaner hose, 35 mm for PAS 10-20		3	3	2,310
	2 607 000 837	5m vacuum cleaner hose, 35 mm for GAS/PAS 11-25		0	0	5,250
	2 607 002 149	3m vacuum cleaner hose, 35 mm for PAS 11-21/GAS 11-21		0	0	2,100
Accessories for GCM10S	2 607 002 150	5m vacuum cleaner hose, 35 mm for GAS/PAS 11-21		0	0	5,250
	2 609 390 392	Hose 3 meter for GAS 50		0	0	5,250
	2 607 001 911	2-pc Extension bars		0	0	5,450
	2 608 040 205	Clamps for GCM10s		0	0	2,300

TV is based on Total purchase per Sales Invoice





ABRASIVES

Your Key to a Perfect Surface



WOOD

WOOD WORKING SERIES

1960 siarexx cut

keying and sanding off varnish and paint; sanding of solid wood and veneer; keying and fine sanding of primer and filler; sanding after wetting the wood surface; intermediate sanding of varnish on surfaces and curves

Series Name	Part Number	Structure	Grit	Diameter
1748 siarexx	F 03E 003 GT7	Standard Sheet	180	230x280 mm
1748 siarexx	F 03E 003 GT9	Standard Sheet	240	230x280 mm



Series Name	Part Number	Structure	Grit	Diameter
1960 siarexx cut	F 03E 001 CT9	Disc siafast	80	125 mm
1960 siarexx cut	F 03E 003 CH5	Disc siafast	100	125 mm
1960 siarexx cut	F 03E 003 CH8	Disc siafast	120	125 mm
1960 siarexx cut	F 03E 003 CK5	Disc siafast	150	125 mm
1960 siarexx cut	F 03E 003 CK8	Disc siafast	180	125 mm
1960 siarexx cut	F 03E 003 CN6	Disc siafast	240	125 mm



1707 siapar - floor sanding rolls / 1748 siarexx

• roughening insulation panels; sanding off plaster, stone and concrete; sanding off paint and old varnish; sanding of solid wood

Series Name	Part Number	Structure
1707 siapar	F 03E 004 91K	Rolls
1707 siapar	F 03E 001 8ET	Rolls
1707 siapar	F 03E 001 8EU	Rolls
1707 siapar	F 03E 001 8EV	Rolls
1707 siapar	F 03E 001 8EW	Rolls
1707 siapar	F 03E 001 8F4	Rolls
1707 siapar	F 03E 004 UR5	Rolls
1707 siapar	F 03E 004 UR6	Rolls
1707 siapar	F 03E 004 UR7	Rolls
1707 siapar	F 03E 004 UR8	Rolls
1707 siapar	F 03E 001 5MC	Rolls




1947 siarun

Series Name	Part Number	Structure	Grit	Diameter
1947 siarun	F 03E 004 WT4	PSA Discs	80	125
1947 siarun	F 03E 004 WT5	PSA Discs	100	125
1947 siarun	F 03E 004 WT6	PSA Discs	120	125
1947 siarun	F 03E 004 WT7	PSA Discs	150	125
1947 siarun	F 03E 004 WT8	PSA Discs	180	125
1947 siarun	F 03E 004 WT9	PSA Discs	240	125
1947 siarun	F 03E 004 WU0	PSA Discs	320	125
1947 siarun	F 03E 004 WU1	PSA Discs	400	125



METAL WORKING SERIES



4919 siaral SANDING DISCS

• grinding of aluminum castings; treatment of weld seams; grinding of areas
• deburring and edges breaking; general dressing work

Series Name	Part Number
4919 siaral	F 03E 003 LC7
4919 siaral	F 03E 002 9FA
4919 siaral	F 03E 001 ES4
4919 siaral	F 03E 003 LA9
4919 siaral	F 03E 003 LB1
4919 siaral	F 03E 003 LB3



2824 siaflap stingray - stainless steel application

• performance grinding for high stock removal; removal of welded seams and edge grinding;
work on burrs and rough casts; ideal for surface grinding of small areas; rust removal and cleaning

Series Name	Part Number	Structure	Grit	Diameter
2824 siaflap	F 03E 002 84U	Flap Fibreglas 8°/13°	36	100x16 mm
2824 siaflap	2 608 603 D96	Flap Fibreglas 8°/13°	60	100x16 mm
2824 siaflap	2 608 603 D97	Flap Fibreglas 8°/13°	80	100x16 mm
2824 siaflap	2 608 603 D98	Flap Fibreglas 8°/13°	120	100x16 mm
2824 siaflap-flat	F 03E 002 CD5	Flap Fibreglas 0°/0° T27	36	100x16 mm
2824 siaflap-flat	2 608 603 D88	Flap Fibreglas 0°/0° T27	60	100x16 mm
2824 siaflap-flat	2 608 603 D89	Flap Fibreglas 0°/0° T27	80	100x16 mm
2824 siaflap-flat	2 608 603 D90	Flap Fibreglas 0°/0° T27	120	100x16 mm



nonwoven abrasives - 6912 siafleece

grain finishing on stainless steel - matte finish; satin finishing on non-ferrous metals; preparation for coating / plating; weld bluing removal from stainless steel; general cleaning; light oxide removal

Series Name	Part Number	Structure	Grit	Diameter
6912 siafleece	F 03E 004 F3L or F 03E 013 N8T	hand pad clean and finish (maroon)	medium	152x229 mm
6912 siafleece	F 03E 004 F3M or F 03E 013 N8W	hand pad clean and finish (maroon)	very fine	152x229 mm

nonwoven abrasives - 6712 siafleece

grain finishing on stainless steel - bright finish; preparation for coating / plating; weld bluing removal from stainless steel; general cleaning; light oxide removal

Series Name	Part Number	Structure	Grit	Diameter
6912 siafleece	F 03E 002 LC2 or F 03E 014 1FB	hand pad clean and finish (grey)	medium	152x229 mm

nonwoven abrasives - 6312 siafleece

• general cleaning; light oxide removal

Series Name	Part Number	Structure	Grit	Diameter
6912 siafleece	F 03E 002 LC5 or F 03E 014 2YH	hand pad	very fine	152x229 mm
6912 siafleece	F 03E 002 LC7 or F 03E 014 1VL	roll (green)	very fine	115x10000 m

Real Bosch! Professional blue measuring tools



BOSCH
Invented for life

Laser Range finder



SRP
P 9,900

NEW

SRP
P 10,995




Li-Ion
technology

SRP
P 14,000



Specifications	GLM 40	GLM 50 C	GLM 80 can be used as digital inclinometer in combination with Rod Prof.
Laser Diode	635 nm, <1 mW	635 nm, <1 mW	635 nm, <1 mW
Laser Class	2	2	2
Measurement Range	0.15-40 m	0.05-50 m	0.05-80 m
Measurement Accuracy	± 1.5 mm	± 1.5 mm	± 1.5 mm
Automatic Deactivation	5 min	5 min	5 min
Units of Measurement	m/cm, ft/in	m/cm, ft/in	m/cm, ft/in
Power Supply	2 x 1.5 V LR03 (AAA)	2 x 1.5 V LR03 (AAA)	Built in Li-Ion Battery, 3.7 V, 1.25 Ah
Weight	0.14 kg	0.10 kg	0.14 kg



Li-Ion
technology

SRP
P 16,843



SRP
P 30,214



SRP
P 38,571



NEW

SRP
P 4,210



Specifications	GLM 100 C can be used as digital inclinometer in combination with Rod Prof.	GLM 150	GLM 250 VF	GLM 500
Laser Diode	635 nm, <1 mW	635 nm, <1 mW	635 nm, <1 mW	635 nm, <1 mW
Laser Class	2	2	2	2
Measurement Range	0.05-100 m	0.05-150 m	0.05-250 m	0.05-50,00 m
Measurement Accuracy	± 1 mm	± 1 mm	± 1 mm	± 1.5 mm
Automatic Deactivation	5 min	5 min	5 min	5 min
Units of Measurement	m/cm, ft/in	m/cm, ft/in	m/cm, ft/in	m/cm, ft/in
Power Supply	Built-in Li-Ion battery, 3.7 V, 1.25 Ah	4 x 1.5 V LR03 (AAA)	4 x 1.5 V LR03 (AAA)	2 x 1.5 V LR03 (AAA)
Weight	0.14 kg	0.24 kg	0.24 kg	0.1 kg

Line Laser



SRP
P 17,360



SRP
P 5,607



SRP
P 26,200



SRP
P 41,785



SRP
P 12,760



Specifications	GLL 2-80	GLL 3 X	GLL 3-50	GLL 3-80 P	GLL 5-50 X
Laser Diode	640 nm, <1 mW	635 nm	635 nm, <1 mW	640 nm, <1 mW	630-650 nm, <1 mW
Laser Class	2	2	2	2	2
Working Range	20 m	15 m	50 m	80 m	50 m
Working Range w/ Receiver	80 m (Diameter)			80 m (diameter)	50 m
Working Range w/o Receiver	40m (Diameter)			40 m (diameter)	
Levelling Accuracy	± 0.2 mm/m	± 0.5 mm/m	± 0.3 mm/m	± 0.2 mm/m	± 0.2 mm/m
Self-levelling Range	± 4°	± 4°; time ≤ 6 s	± 4°	up to ± 4°; time < 4 s	± 3°
Dust and Splash Protection	IP 54	IP 54	IP 54	IP 54	IP 54
Tripod Thread	1/4 in, 5/8 in	1/4 in		1/4 in, 5/8 in	0/0 in
Projection	2 x 360° line			3x360° line	3x360° line
Power Supply	4 x 1.5 V LR6 (AA)	4 x 1.5 V (AA)	4 x 1.5 V-LR6 (AA)	4 x 1.5 V LR6 (AA)	4 x 1.5 V LR6 (AA)
Weight	0.69 kg	0.5 kg	0.25 kg	0.76 kg	0.5 kg

Green Line Laser



Specifications	GCL-2-15-G
Laser Diode	Line: 500 - 540 nm, < 10mW Point: 630 - 650, < 1mW
Laser Class	2
Working Range	15 m (lines) 5 m (points)
Levelling Accuracy	0.3 mm/m
Self-Levelling Range	± 4°
Power Supply	3 x 1.5 V LR8 (AA)
Weight	0.49 kg

Point and Line Laser



Specifications	GCL 25	GLL 1P
Laser Diode	<1 mW	635 - 650 nm
Laser Class	2	2
Working Range	Laser Points: 30 m for forward, right and left points 10 m for upward plumb point 5 m for downward plumb point Laser Lines: 10 m	5m
Levelling Accuracy	0.3 mm/m, plumb points 0.5 mm/m	±0.5 mm/m
Self-Levelling Range	± 4°	± 4°
Power Supply	4 x 1.5 V LR06 (AA)	2 x 1.5 V LR03 (AAA)
Weight	0.60 kg	0.1 kg

Surface Laser



Specifications	GSL 2
Laser Diode	635 nm, <5 mW
Laser Class	3R
Working Range	20 m
Working Range w/o Receiver	10 m
Self-Levelling Range & Time	± 4°, typical 5 sec
Height Adjustment Range	3 cm
Precision	± 0.3 mm/m
Line Visibility	10 m; with Target Plate 20 m
Rotating Speed	Fast 1 rpm / Slow 0.3 rpm / Stepwise typical 0.05°
Dust and Splash Protection	IP 54
Projection	2 lines
Power Supply	10.8 V Li-Ion / 4 x AA 1.5V
Weight	2 kg

Rotation Laser



Specifications	GRL 300 HV
Laser Diode	635 nm, <1 mW
Laser Class	3R
Working Range	1 m
Working Range w/ Receiver	300 m (diameter)
Levelling Accuracy	± 0.1 mm/m
Self-Levelling Range	± 5° (8%)
Rotation Speed	150, 300, 600 rpm
Dust and Splash Protection	IP 54
Tripod Thread	5/8 in
Weight	1.8 kg

Optical Level

SRP P 14,993



SRP P 20,571



Specifications	GOL 26 D	GOL 32 D
Magnification	26x	32x
Shortest Focusing Distance	0.3 m	0.3 m
Working Range	Up to 100 m	Up to 120 m
Deviation for 1 km Double Run Levelling	1.5 mm	1 mm
Levelling Accuracy	1.6 mm at 30 m	1.0 mm at 30 m
Compensator Levelling Range	± 15 ft	± 15 ft
Tripod Mount	5/8 in	5/8 in

SRP P 2,350

NEW



SRP P 2,220

NEW



Specifications	BT 160	GR 500
Work Height	97 to 160 cm	97 to 160 cm

Metal Detector



SRP
P 7,500

SRP
P 7,500

Specifications	GMS 120	GMS 100
Ferrous Metals	yes	yes
Non-ferrous Metals	yes	yes
Live Cables	yes	yes
Wooden Substructures	yes	yes
Plastic Pipes	no	no
Display of Object's Depth	no	no
Maximum Detection Depth	120 mm	100 mm
Signal View	no	no
Power Supply	1 x 9 V 6LR61	1 x 9 V 6LR61
Weight	0.27 kg	0.26 kg

Inspection Camera



SRP
P 21,000

Fit to the Bosch Blue 10.8V Family



Specifications	GIC 120 C
Battery Voltage	12 V / 4X AA
Display Size	3.5 in
Display Resolution	320x240 px
Camera Head Diameter	8.5 mm
Length of Camera Cable	120 cm
Number of Led Lighting Stages	3
Weight	0.6 kg

Thermo Detector

Specifications	GIS 1000 C
Battery	12V / 4X AA
Measurement Range	-40 °C...+1000 °C
Measuring Accuracy of IR	± 1.0 °C
Optics / Resolution	50:1 / 0.1 °C
Laser Diode	Laser Class 2.635 nm
Frame Buffer (number of images)	>200
Operating / Storage Temperature	-10 - 50 °C / -20 - 70 °C
Working Range	0.1 - 5 m
Data Transfer	Micro USB, Bluetooth
Supported Device	IPAD, Smart phone, IPHONE 4s & 4



SRP
P 12,600

Wall Scanner



SRP
P 13,000

SRP
P 49,929

Specifications	D-tect 120	D-tect 150 SV
Ferrous Metals	yes	yes
Non-ferrous Metals	yes	yes
Live Cables	yes	yes
Wooden Substructures	yes	yes
Plastic Pipes	yes (water filled)	yes
Display of Object's Depth	yes	yes
Maximum Detection Depth	120 mm	150 mm
Signal View	yes	yes
Power Supply	12 V-Li & 4 x 1.5 V LR6 (AA)	4 x 1.5 V LR6 (AA)
Weight	0.5 kg	0.70 kg



Angle Measurer



SRP
P 8,300

Specifications	GAM 220
Accuracy	0.1
Angle Accuracy	± 0.1°
Battery	4 AA 1.5 V Batteries
Battery Life	80 Hours
Compound Cut Input Angle Range	0° - 180°
Dimensions	17.6 x 2.0 x 2.4 in.
Leg Extension Length / Range	16" / 0" - 6-3/4"
Length	17.0"
Leveling Accuracy (Vial)	+/- 0.05°
Material	Aluminum
Range / Readout Accuracy	0° to 220° / +/- 0.1°
Simple Miter Cut Input Angle Range	0° to 220°
Size	17" x 1.4" x 2.4"
Weight	2.4 lb

Digital Inclinator



SRP
P 13,357

SRP
P 4,071

SRP
P 15,536

Specifications	GIM 120	R60 can be used with GLM 80 / GLM 100 C	GIM 60 L
Measurement Range	0-360° (4 x 90°)	0-360° (± 180°)	0-360° (4 x 90°)
Electronics Measurement Accuracy	0° / 90° 1° - 89°	± 0.05°	± 0.05° ± 0.2°
Electronics Measurement Accuracy, Vials		± 0.057°	± 0.2°
Power Supply	4 x 1.5 V	1 x 3.7V Li-Ion	1 x 9 V 6LR61
Weight	1.3 kg	0.4 kg	0.9 kg

BOSCH AUTHORIZED SERVICE CENTERS & SERVICE DEALERS

D.L. Electronics Service Center
A-22 Adivay Bldg., Lower Bonifacio St., Baguio City
T: (074) 442.2023 | F: (074) 442.2023
E: knightstrike_dnm@yahoo.com
dlbagoio@yahoo.com

D.L. Electronics Service Center
Causeway, Arellano Street Dagupan City
E: knightstrike_dnm@yahoo.com
dlbagoio@yahoo.com

Dau-agri Ind'l Corp
Dau Access Road Nlex Highway,
Dau Mabalacat City Pampanga
T: (045) 458.2941
E: dau.agri.industrial@gmail.com

Lagerlite Auto Parts
1054 Reina Regente St., Binondo, Manila
T: (02) 247.4850 | F: (02) 247.7348
E: lagerliteautoparts@yahoo.com

Whirlmart Appliance Care Center
168 Aguinaldo Highway, Brgy Buho, Silang, Cavite
T: (02) 668.7176 | F: (02) 333.1889
E: whirlmartappliancecarecenter@yahoo.com

JL Calingasan Elec. Contractor & Service Ctr.
#20 Purok 1, Banay Banay Lipa City Batangas
M: (0921) 653.2163 • (0920) 951.8385
E: jlcalingasanbats@yahoo.com

Light-Up Const & Electrical Supply
Laguinbanua West, Numancia, Aklan
T: (036) 265.3035 | F: (036) 265.3035

Far Eastern Hardware
38 Quezon St., Iloilo City
T: (033) 337.2222 | F: (033) 338.2996
E: sales@fareastern.com.ph

Rejoice Hardware Elec'l Supply
166 Hermie Bldg., Cervantes St., Dumaguete City
T: (035) 422.5555 | F: (035) 225.1836
E: rejoice_dgte1990@yahoo.com.ph

BQ Buildware
CPG Avenue, Tagbilaran City, Bohol
T: (038) 411-4660 | F: (038) 501.7520
E: builderware@gmail.com

N & N Service Center
Sunriser Lane 1 Talon Talon Loop
Tugbungan, Zamboanga City
T: (062) 993-2190 | F: (062) 991.6828
E: nnservicecenter.sc@gmail.com

Guia Hardware
Don Anselmo Bernard Ave., Ozamiz City
T: (088) 521.0304 | F: (088) 521.0304
E: willisang1966@gmail.com

DMD Electronics
16-A Neo Central Arcade Cugman,
Cagayan de Oro City
M: (0906) 369.6307
E: dmd_electronics@yahoo.com

DMD Electronics
823 Quezon Blvd cor Jacinto St., Davao City
T: (082) 284.3114
M: (0915) 988.5733 • (0917) 704.7040
E: dmd_electronics@yahoo.com

DMD Electronics
Door 2 & 3 JV'S Peak Bldg.
#95 Roxas St., Davao City
T: (082) 284.6532 • (082) 284.3114
E: dmd_electronics@yahoo.com

Toolaid Legaspi Service Center
Legaspi St., Cebu City
T: (032) 412.1885 | F: (032) 412.1885
E: toolaidservicecenter@gmail.com

Surigao MS. Enterprises
San Nicolas St. Surigao City
T: (086) 826-8983
F: (086) 826-8983
E: mjchuasiwork@yahoo.com

Toolaid Subangdaku Service Center
Lopez Jaena St. Highway Subangdaku,
Mandaue City
T: (032) 422.6437 | F: (032) 422.6437
E: toolaidservicecentermde@yahoo.com

Rufino Brodeth & Co. Inc.
Juan Luan Street Ormoc City
T: (053) 561.5622 | F: (053) 561.8610
E: marketingbrodeth@yahoo.com

Washington Enterprises
181-185 Rizal Ave., Tacloban City
T: (053) 321.2521 | F: (053) 325.5032
E: wephl@yahoo.com

Bacolod Integral Trading
JL Bldg Luzuriaga St., Brgy 31, Bacolod City
T: (034) 433.8170 | F: (034) 709.9867
E: bacolodintegral@yahoo.com

Vicente Dy Enterprises
Rizal St., Daraga, Albay
T: (052) 483.3613 | F: (052) 483.3613
E: jen_sy_dy@yahoo.com

Olivan Builders
Magsaysay Ave. Naga City
T: (054) 205.0118 | F: (054) 205.0118

Toolcare Master Phils. Inc.
G/F WC Bldg., 2438 Belarmino St.,
Brgy. Bangkal, Makati City
T: (02) 510.1651 | F: (02) 738.7406
E: powertoolsmaster@gmail.com

Royal L Lumber & Gen. Mdse. Corp.
Km 35 McArthur Highway, Tabang, Guiguinto, Bulacan
T: (044) 760.4095 | F: (044) 690.0875
E: royall_lumber@yahoo.com

Consumer Appliance
National Highway, Purok 2, Bonfal
Proper Bayombong, Nueva Vizcaya
T: (078) 255.1319
E: conserv_2006@yahoo.com

Uprise Lumber
166 Balzain Highway, Centro 12,
Tuguegarao City, Cagayan
T: (078) 255.1319

Distributed by:
Robert Bosch Inc.
28th Floor Fort Legend Towers,
3rd Avenue corner 31st Street,
Fort Bonifacio Global City, 1634
Taguig City, Philippines
T: (632) 870.3888
loc. 3874, 3879, 3807

Cebu Business Hub
Corner Albano Street,
Lopez Jaena St.,
National Highway,
Subangdaku,
Mandaue City
T: (032) 422.6437

Davao Business Hub
95 JV's Peak Realty,
Roxas Avenue,
Davao City
T: (082) 284.3114

CDO Business Hub
16-A Neo Central Arcade
Cugman,
Cagayan de Oro City
T: (088) 291.7772



BOSCH

Invented for life